

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1903.

Ordered by the House of Assembly to be printed, August 31st, 1904.

[Estimated cost of printing (630), £36 10s. 1d.]

ADELAIDE:

BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE.

1904.

REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL REPORT, 1903.

Office of Registrar-General of Births, &c., August 10th, 1904.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in South Australia in the year 1903 :—

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory ; but, with these exceptions, and except also where the Territory is specially mentioned, everything written with regard to the State, in either the report itself or the tables accompanying it, must be understood as referring to the southern part only—that is, to South Australia proper.

POPULATION.

On December 31st, 1903, the estimated population of South Australia, exclusive of the inhabitants of the Northern Territory and of aborigines, was 364,691, viz., 183,584 males and 181,107 females. This showed an advance of only 2,513 on the estimated population at the beginning of the year.

All these figures are based on the estimates of population which, both for the beginning and the end of the year, have been computed in accordance with the plan agreed upon at the Conference of Government Statisticians held in Melbourne in September, 1903.

The following table, compiled from the quarterly returns of the State Collector of Customs, shows the distribution as to route of the recorded immigration and emigration in 1903 :—

Route.	INWARDS.				OUTWARDS.			
	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.
By sea.....	19,827	10,563	2,304	2,134	18,085	10,800	2,467	2,214
<i>Via</i> Morgan.....	165	101	24	19	184	108	19	10
<i>Via</i> Cockburn	6,513	3,681	1,156	1,081	7,298	3,704	1,194	1,090
<i>Via</i> Serviceton	10,931	10,063	949	954	11,041	10,076	941	884
	37,436	24,408	4,433	4,188	36,608	24,688	4,621	4,198

Taken as they stand (that is, without considering allowances which have been made for unrecorded arrivals and for unrecorded departures) the figures in the table would show that with respect to persons over 12 years of age the population gained 828 males and lost 280 females, and that in regard to children under that age it lost 188 males and 10 females, the final result being an increase of 640 males and a loss of 290 females. The figures in the table show also that there was a loss of 12 persons *via* Morgan, of 855 *via* Cockburn, and of 45 *via* Serviceton, while there was a gain of 1,262 by sea.

The estimated mean population for the year was 361,724 (181,865 males and 179,859 females), being greater by 1,756 than the mean population of 1902.

Throughout this report and the statistical tables accompanying it the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

The births registered in 1903 numbered 8,475, being fewer by 452 than those recorded in 1902, and being the lowest number registered in any year since 1876. The birth rate per 1,000 of the mean population was 23·43, against 24·80 in 1902, and was below the rate of any other of the last 52 years. Some remarks respecting the serious decline in the birth rate in recent years may be useful here. Previously to 1886 South Australia had nothing to complain of with regard to births, but in that year a decline set in, commencing with a considerable falling off both in number and rate, and since then, though each succeeding year has not always been worse in this respect than the one immediately preceding it, there has never been any real sign of recovery, for, taking one year with another, the tendency has been steadily downward. The births registered in 1885 numbered 12,046, which yielded a birth rate of 39·03 per 1,000 of population, while in 1903, notwithstanding the increase of the population in the meantime, there were recorded, as already stated, only 8,475, giving the low birth rate of 23·43. The falling off may be shown in another way. If the number of births registered in 1881, 1891, and 1901 be separately compared with the number of females of the child-bearing age (15 to 45) as stated in the census returns of each of these years, it will be found that the birth rates per 1,000 females were 180·35, 156·58, and 107·03 for the three years respectively. If, in a similar way, the legitimate births of the same three years be compared with the number of married women of the child-bearing age as stated in the census returns of these years, the rates per 1,000 married women will be found to have been 329·65, 312·53, and 236·26 for the three years respectively. As explained and clearly shown in previous annual reports, the falling off in the number of births and the birth rate in recent years has been chiefly owing to the fact that instead of celebrations of marriage becoming more numerous each year with the advance of population they have been actually fewer than they were several years ago. The falling off in the marriage rate commenced with a sudden drop in 1886. In the twelve years 1874-85 the mean annual marriage rate per 1,000 of population was 8·54, while in the eighteen years 1886-1903 it was only 6·48. Another cause contributory to the decline in births, which, however, has itself probably resulted

in

in a great measure from the one just stated, has been that the ages of persons entering into the married state and the ages of the married men and the married women of the population have on the average been considerably higher of late years than they used to be formerly. The approximate average ages at the time of marriage of the men and women who entered into matrimony in 1885—the year before the falling in the marriage rate set in—were 28·28 years and 24·36 years respectively, while the corresponding average ages of those who married in 1902 were 29·69 years and 25·85 years. According to the census returns of 1881 for the whole State (the inclusion, which could not easily be avoided, of the Northern Territory in this instance making scarcely any difference) the approximate average ages of the married men and married women of the population were at that time 41·84 years and 37·97 years respectively. At the census of 1891 the corresponding averages had risen to 43·49 and 39·57, while at the census of 1901 the approximate average ages had still further risen to 44·71 and 40·92 respectively. A third cause contributory to the decline in births has been that ever since about 1886 it has been the custom for a considerable number of South Australian husbands to be absent from their homes and wives for a great part of each year, being away working or otherwise engaged in business at Broken Hill or in Western Australia. Besides the causes just stated there has for some years past probably been another one. It is believed, though this department can offer no undoubted proof on the point, that in recent years some—perhaps a good many—of the married people of the State have preferred to have small, or, at any rate, not large families, and have in consequence had recourse to various means to restrict the number of their offspring. If this is not the case it is difficult, even allowing for the other causes mentioned, to account for the whole of the decided tendency to diminish shown of late years in the annual proportions of the number of legitimate births to the number of marriages. How these proportions have declined of late may be seen in a table given further on in this report under the heading “Marriages.”

The natural addition to the population in 1903 from the excess of births over deaths was 4,602 against 4,691 in the previous year. Of the total births registered, 4,464 were male births and 4,011 female, the proportion of the former to 100 of the latter being 111·29. In England, according to recent returns, the proportion for the five years ended with 1901 was 103·62, whilst the “Victorian Year Book” gives, omitting fractions, 105 as the ratio for the Australian States and New Zealand taken together, the calculation being based on the returns for the five years 1893-97.

In the first quarter of 1903 the births registered in South Australia numbered 2,058, in the second 2,183, in the third 2,158, and in the fourth 2,076, the births of the second and third quarters being, according to the general rule, more numerous than those of the first and last.

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Illegitimate Births.—The births entered in 1903 as illegitimate numbered 354 (177 males and 177 females), against 389 in the previous year. The percentage of illegitimate births to the total births registered during the year was 4·18.

The following table shows the percentages in the six Australian States, New Zealand, and the different parts of the United Kingdom in the years specified:—

	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	Mean.
South Australia	3·05	3·13	3·46	3·53	3·62	3·95	4·24	3·98	4·36	4·18	3·75
New South Wales ..	6·26	6·51	6·70	6·58	6·93	7·16	7·01	7·16	6·60	6·71	6·76
Victoria	5·51	5·33	5·63	5·41	5·33	5·49	5·91	5·58	5·51	5·73	5·54
Queensland	4·52	4·93	5·22	6·02	6·03	5·97	6·40	5·93	6·04	6·79	5·79
Western Australia ..	4·66	4·47	5·61	5·27	4·99	4·91	4·82	3·88	3·96	4·70	4·73
Tasmania	5·09	4·97	5·91	5·74	5·09	6·07	5·43	5·94	6·11	5·61	5·60
New Zealand	3·80	4·50	4·48	4·48	4·23	4·40	4·64	4·57	4·46	4·55	4·41
England and Wales..	4·3	4·2	4·2	4·2	4·2	4·0	4·0	3·9	—	—	4·12
Ireland	2·7	2·7	2·6	2·6	2·7	2·6	2·7	2·6	2·6	—	2·64
Scotland	7·29	7·28	7·27	7·04	6·78	6·49	6·49	6·32	6·20	6·13	6·73

For the convenience of reference and of comparison a table showing the South Australian rates of illegitimacy for twenty-three years is here appended:—

1881	2·25	1894	3·05
1882	2·25	1895	3·13
1883	1·75	1896	3·46
1884	2·10	1897	3·53
1885	2·42	1898	3·62
1886	2·38	1899	3·95
1887	2·49	1900	4·24
1888	2·67	1901	3·98
1889	2·47	1902	4·36
1890	2·50	1903	4·18
1891	2·93		
1892	2·93		
1893	2·84		
		Mean of twenty-three years..	3·02

Although the foregoing table is similar to one of those usually given in statistics of illegitimacy, it is somewhat misleading as far as late years are concerned, because the rise in the per cent. rates for those years has been mainly owing, not to an advance in illegitimate births, but to the great falling off in the number of legitimate ones. If separate comparisons be made of the number of illegitimate births in 1881, 1891,

1891, and 1901 with the number of unmarried women (including widows) of the child-bearing age, as stated in the census returns of each of these years, it will be found that, calculated in this way, the rates per 100 women were 0·87, 0·89, and 0·75 for the three years respectively.

From this it will be seen that there has not really been an undue advance in illegitimacy in recent years, but that, on the contrary, there has, in proportion to the number of females exposed to temptation, been rather a decline in immorality in this respect.

DEATHS.

The deaths registered in 1903 numbered 3,873, being fewer by 363 than those of the previous year. The deaths of males were 2,171, and of females 1,702, the proportion of the former to 100 of the latter being 127·56, which was greater by 16·27 than the proportion of male to female births. Of the total number of deaths recorded in the year 972 were registered in the first quarter, 940 in the second, 1,009 in the third, and 952 in the fourth, the mortality of the second half of the year being, contrary to what commonly happens, greater than that of the first, though in the present instance the difference was but little.

The death rate per thousand of the mean population was 10·71, which was not only lower by 1·06 than that of 1902, but was the lowest death rate on record. It may be stated here that in every one of the nineteen years 1885-1903 the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1903 and the previous year were as follows:

	1902.	1903.
I. Specific febrile or zymotic diseases	643	401
II. Parasitic diseases	14	17
III. Dietetic diseases	19	14
IV. Constitutional diseases	710	742
V. Developmental diseases	520	471
VI. Local diseases	1,914	1,847
VII. Violence	222	216
VIII. Ill-defined and not specified causes	194	165

It will be seen from this that, comparing the causes of death in the two years, by classes, there were in 1903 increases in the second and fourth classes, and decreases in the remaining six. The great decrease in the zymotic class was owing chiefly to reductions in the number of deaths from influenza, enteric fever, and measles, the falling-off in deaths from measles being no less than 230. There was nothing remarkable or calling for comment in the other decreases or in either of the increases.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

Scarlet Fever, Measles.—In 1903 there were 19 deaths from scarlet fever, against none in the previous year, while there were only 5 deaths from measles against 235 in 1902.

Whooping Cough.—There were 60 deaths from whooping cough, against 36 in 1902.

Cerebro-spinal Fever.—To this malady, known also as epidemic cerebro-spinal meningitis, 8 deaths were attributed in 1903, against 21 in the previous year.

Enteric Fever.—The deaths from enteric or typhoid fever numbered 57 (34 males and 23 females), being fewer by 32 than those recorded in 1902.

The following table shows the death rate from this disease per 1,000 of the mean population for the last twenty-two years:—

1882	0·51	1894	0·24
1883	0·46	1895	0·21
1884	0·44	1896	0·28
1885	0·43	1897	0·31
1886	0·31	1898	0·42
1887	0·47	1899	0·32
1888	0·35	1900	0·16
1889	0·42	1901	0·20
1890	0·30	1902	0·25
1891	0·23	1903	0·16
1892	0·26		
1893	0·19		
		Mean of twenty-two years	0·31

For comparison it may be stated that in England, according to the returns of the Registrar-General, the rate in 1901 was only 0·16, and the mean annual rate for the quinquennium ended with that year 0·17, while recent returns give the rates in the Australian States and New Zealand, as follows:—

Western Australia	1902 ..	0·87	Victoria	1902 ..	0·16
Queensland	1902 ..	0·26	Tasmania	1902 ..	0·14
South Australia	1902 ..	0·25	New Zealand	1902 ..	0·07
New South Wales	1902 ..	0·20			

It would seem therefore that in reference to enteric fever four of the Australian States compare unfavorably with England and New Zealand. Only 2 of the deaths in this State from enteric fever in 1903 were of children under 5 years of age, and only 10 of persons over 45.

In the annual report for 1889 it was stated that "As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths." For similar reasons minute details of such distribution are not given in this present report; but it may be stated that 18 of the deaths occurred in the four districts forming "Adelaide and suburbs" (that, is Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 1 in the districts south of Adelaide district, and the remaining 38 in the other parts of the State.

It is noteworthy how very few deaths from this disease occur in all that portion of the State which lies south of the district of Adelaide. From 1887 to 1903 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, 3, 4, 1, 6, and 1.

The deaths from enteric fever in 1903 were distributed over the whole year, except the month of October, though the mortality from it during the first six months was very much greater than that during the remainder of the year.

Diphtheria,

Diphtheria, Croup.—The deaths from diphtheria numbered 21 (11 males and 10 females), being fewer by 6 than those recorded in 1902. The proportion of deaths from diphtheria per 1,000 of the mean population was 0·06 in 1903 against 0·08 in the previous year. Only 6 of the deaths were of persons over 10 years of age. Judging from the returns of several years, it would seem that though no age protects a person from liability to attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from this disease, 8 were registered in the four districts forming “Adelaide and suburbs,” 5 in the districts south of Adelaide district, and the remaining 8 in the other parts of the State.

Both in Australasia and in England there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Occasionally, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1903 numbered 4 (2 males and 2 females), against 8 in the previous year.

Influenza, or la Grippe.—The deaths from influenza in 1903 numbered 24 (10 males and 14 females), against 41 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the State very little.

Phthisis.—The deaths from phthisis were 296 (146 males and 150 females), being more by 4 than the number registered in 1902. Of the total deaths from all causes 7·64 per cent. were attributed to phthisis, against 6·89 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0·82, against 0·81 in 1902.

The following table shows the proportions for the last nineteen years :—

1885	0·99	1896	0·89
1886	1·12	1897	0·89
1887	1·16	1898	0·91
1888	1·19	1899	0·89
1889	0·94	1900	0·84
1890	0·94	1901	0·84
1891	1·04	1902	0·81
1892	0·95	1903	0·82
1893	1·02		
1894	1·05		
1895	0·98		
		Mean of nineteen years	0·96

In England the proportion in 1901 was 1·26, being under the mean annual rate (1·31) for the quinquennium ended with that year, and being up to that time the lowest rate ever recorded there.

If the English and the South Australian rates for either 1901 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this State yield about 6 deaths from phthisis would in England yield about 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result ; and, of course, this uncertainty affects more or less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1901 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·36 and 1·15 respectively ; whilst in South Australia they were only 0·37 and 0·61 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 3·77 in England, and only 1·82 in this State—that is to say, less than half. From these facts it will be evident that, in reference to mortality from phthisis and the two other most destructive diseases of the lungs, South Australia compares very favorably indeed with the mother country.

For comparison, the death rates from phthisis of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria	1902 ..	1·17	New Zealand	1902 ..	0·77
Queensland	1902 ..	0·89	Western Australia	1902 ..	0·70
New South Wales	1902 ..	0·83	Tasmania	1902 ..	0·58
South Australia	1902 ..	0·81			

Cancer.—The deaths from cancer (including all malignant new growths) numbered 261 (133 males and 128 females), being fewer by 6 than those registered in 1902, but, with that exception, being by far the greatest number ever recorded in one year. The proportion of deaths from this disease per 1,000 of the mean population was 0·72, against 0·74 in the previous year.

For the last nineteen years the rates were as follows :—

1885	0·32	1896	0·54
1886	0·34	1897	0·54
1887	0·36	1898	0·53
1888	0·38	1899	0·58
1889	0·43	1900	0·59
1890	0·41	1901	0·60
1891	0·49	1902	0·74
1892	0·46	1903	0·72
1893	0·51		
1894	0·48		
1895	0·48		
		Mean of nineteen years	0·50

In England the proportion in 1901 was 0·84, which was above the mean annual rate (0·82) for the quinquennium ended with that year, and was, in fact, up to that time the highest rate ever recorded there. For comparison the rates of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

South Australia	1902 ..	0·74	Tasmania	1902 ..	0·62
Victoria	1902 ..	0·71	Queensland	1902 ..	0·55
New Zealand	1902 ..	0·67	Western Australia	1902 ..	0·41
New South Wales	1902 ..	0·62			

All the deaths in South Australia in 1903 from cancer, except 7, were of persons over 30 years of age.

In England the mortality from cancer has always been very much less amongst the male than amongst the female portion of the population. For instance, in the quinquennium ended with 1901 the average annual death rates there from this disease, per 1,000 of the mean population of each sex, were 0·66 and 0·96 respectively. In this State, however, though the difference is but little, the average rate of male mortality is the higher of the two, as the following table will show:—

	Male Rate.	Female Rate.		Male Rate.	Female Rate.
1892	0·52	0·39	1899	0·59	0·57
1893	0·51	0·51	1900	0·58	0·61
1894	0·48	0·48	1901	0·53	0·63
1895	0·49	0·47	1902	0·70	0·79
1896	0·56	0·51	1903	0·73	0·71
1897	0·62	6·45			
1898	0·55	0·51	Mean	0·57	0·55

Diseases and Accidents of Pregnancy and Childbirth.—The deaths ascribed in 1903 to these causes, including puerperal fever, were 39, against 35 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 4·60, against 3·91 in 1902. The following table shows the proportions in South Australia, Victoria, and England in the years specified:—

	South Australian Rate.	Victorian Rate.	English Rate.
1882	6·46	6·58	5·09
1883	4·39	5·74	5·06
1884	4·14	7·04	4·79
1885	4·40	5·61	4·98
1886	3·22	6·23	4·29
1887	4·99	5·27	4·69
1888	4·09	5·42	4·73
1889	2·81	4·48	4·05
1890	3·67	5·30	4·89
1891	5·68	4·99	5·24
1892	4·36	4·63	5·78
1893	5·24	4·90	6·51
1894	4·01	5·31	5·36
1895	4·56	5·67	4·57
1896	7·79	5·87	4·98
1897	4·09	6·45	4·61
1898	6·71	5·63	4·41
1899	4·26	6·19	4·66
1900	4·92	5·30	4·81
1901	4·74	6·48	4·73
1902	3·91	6·53	—
1903	4·60	6·39	—
Mean	4·68	5·73	4·91

Infantile Mortality.—The deaths of infants under 1 year of age numbered 820 (470 males and 350 females), against 837 in 1902, and were in the proportion of 9·68 to 100 births registered. From 1885 to 1903 the proportions were as follows:—

1885	11·34	1895	9·49
1886	12·61	1896	10·14
1887	11·12	1897	10·91
1888	9·59	1898	13·99
1889	9·42	1899	11·16
1890	9·65	1900	9·96
1891	9·09	1901	10·01
1892	9·69	1902	9·38
1893	11·65	1903	9·68
1894	9·39		

Recent returns give the proportions in the other Australian States and New Zealand as follows:—

Western Australia	1903 ..	14·12	New South Wales	1903 ..	11·04
Queensland	1903 ..	11·99	Victoria	1903 ..	10·64
Tasmania	1903 ..	11·08	New Zealand	1903 ..	8·11

On the whole, the Australian States and New Zealand stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·50 in 1879, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1901 the mean annual proportion in England was 15·68.

In the following table the infantile mortality of South Australia in 1903 is numerically shown in classes and in four age-periods:—

Class.	Causes of Death.	Ages at Death.										
		Totals.			Under 1 Month.		1—3.		3—6.		6—12.	
		M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.
	Total	470	350	820	171	102	74	71	92	88	133	89
I.	Specific febrile or zymotic diseases..	80	69	149	4	6	9	16	34	24	33	23
II.	Parasitic diseases	1	2	3	—	—	—	2	—	—	1	—
III.	Dietetic diseases	3	2	5	1	—	—	1	1	1	1	—
IV.	Constitutional diseases	7	10	17	—	1	4	1	2	8	1	—
V.	Developmental diseases	88	45	133	79	38	7	5	1	1	1	1
VI.	Local diseases	211	153	364	53	32	38	32	39	38	81	51
VII.	Violence	4	6	10	2	6	—	—	—	—	2	—
VIII.	Ill-defined or not specified causes..	76	63	139	32	19	16	14	15	16	13	14

INDEX OF MORTALITY.

In the annual report for 1902 a very full explanation was given respecting the nature of and the method of calculating the adjusted death rates, known amongst the statisticians of the Commonwealth States and New Zealand as "indexes of mortality." It is not thought necessary to repeat the explanation here, and, at any rate, to do so would take up much more space than could be spared for the purpose. The index of mortality of South Australia proper for the year 1903 was 13·87 per 1,000 of population, while that of the whole State, including the Northern Territory, was 14·03. The corresponding ordinary or crude death rates were 10·71 and 10·79 respectively.

MARRIAGES.

The marriages registered in 1903 numbered 2,260, being fewer by 116 than those of the previous year, and being the lowest number recorded in any year since 1898. The marriage rate (that is, the rate of marriages, not of persons married) per 1·000 of the mean population was 6·25, against 6·60 in 1902. The marriages celebrated in the first quarter numbered 489, in the second 611, in the third 599, and in the fourth 561.

By means of the tabular statement which has already been referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement :—

Church of England	461	New Jerusalem Church	29
*Wesleyan	343	Christian Brethren	24
Roman Catholic	249	City Mission	20
*Primitive Methodist	198	Salvation Army	18
Baptist	176	Officiating Registrars	14
Lutheran	167	Unitarian	6
*Bible Christian	129	Moravian	5
Congregationalist	109	Free Presbyterian	4
Church of Christ	106	Seventh Day Adventist	3
Presbyterian	104	Jewish	2
Registrar-General, Deputy Registrar, and District Registrars	93		

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variations year after year from 1881 to 1903 in such rates and values in South Australia :—

Year.	Marriage Rate per 1,000 of Mean Population.	Value per Head of Mean Population.		
		Imports Retained for Home Consumption.	Exports of South Australian Produce.	Imports and Exports United.
		£ s. d.	£ s. d.	£ s. d.
1881.....	8·31	16 1 3	13 2 5	29 3 8
1882.....	8·87	19 8 4	14 13 9	34 2 1
1883.....	8·64	16 14 5	11 17 4	28 11 9
1884.....	8·42	14 11 2	17 8 10	32 0 0
1885.....	7·93	13 15 11	14 4 2	28 0 1
1886.....	6·51	10 9 11	9 5 11	19 15 10
1887.....	6·48	10 4 0	10 19 5	21 3 5
1888.....	6·82	10 3 0	15 5 9	25 8 9
1889.....	6·69	10 10 4	11 19 10	22 10 2
1890.....	7·17	12 6 11	14 3 2	26 10 1
1891.....	7·31	13 0 11	14 16 0	27 16 11
1892.....	6·55	8 13 6	9 19 8	18 13 2
1893.....	6·32	8 5 8	9 17 5	18 3 1
1894.....	6·16	6 13 8	9 17 0	16 10 8
1895.....	5·96	5 13 4	10 6 1	15 19 5
1896.....	6·33	8 4 6	9 9 8	17 14 2
1897.....	5·66	7 15 10	7 4 4	15 0 2
1898.....	6·38	5 8 2	7 3 5	12 11 7
1899.....	6·44	6 18 10	11 4 4	18 3 2
1900.....	6·51	10 4 2	10 3 9	20 7 11
1901.....	6·44	9 14 3	11 15 10	21 10 1
1902.....	6·60	8 14 8	13 5 0	21 19 8
1903.....	6·25	9 12 2	14 5 2	23 17 4

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for eighteen years, in each instance the births compared being for the year given and the marriages for the year before :—

1886	4·46	1896	4·72
1887	5·34	1897	4·72
1888	5·17	1898	4·42
1889	4·83	1899	4·08
1890	4·90	1900	3·87
1891	4·66	1901	3·78
1892	4·42	1902	3·71
1893	4·90	1903	3·42
1894	4·81		
1895	4·87		
		Mean	4·50

* The three denominations marked with asterisks are now united under the name "Methodist."

It would seem from these figures that 4·50 is the average number of children born in South Australia to each marriage. This is above the average in England and Scotland and below that of Ireland. It will be seen, however, that during the last few years the proportion in South Australia has been showing a decidedly downward tendency.

According to the "Victorian Year Book," 1895-8, the average proportions in the other Australian States and New Zealand were as follows :—

Tasmania	4·96	New South Wales	4·76
New Zealand	4·93	Western Australia	4·49
Queensland	4·81	Victoria	4·23

The averages, however, in all these cases would probably be lower if the marriages and the births of the years since 1898 were taken into account in the calculations.

GENERAL RESULTS OF THE YEAR FOR THE STATE.

Viewed as a whole, 1903 was a very unfavorable year with respect to births, marriages, and increase of population; but in reference to its mortality returns it was in every way an excellent year—probably the best on record.

ADELAIDE AND SUBURBS.

As explained in the annual report of 1888, by "Adelaide and suburbs" is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide and the city of Port Adelaide, seven corporate towns and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1903, was 168,066 (80,261 males and 87,805 females), being more by 2,343 than the estimated population at the beginning of the year. The estimated mean population of the year was 166,895 (79,756 males and 87,139 females). The births registered during the year numbered 3,788 (2,003 males and 1,785 females); the deaths 2,114 (1,196 males and 918 females); and the marriages 1,190. The births were fewer by 112, the deaths by 162, and the marriages by 91 than those recorded in the previous year. The birth rate per 1,000 of the mean population was 22·70, the death rate 12·67, and the marriage rate 7·13. The birth rate was lower by 0·73, the death rate higher by 1·96, and the marriage rate higher by 0·88 than the corresponding rates for the whole State. The birth, death, and marriage rates for twelve years are here appended :—

	Births.		Deaths.		Marriages.
1892	32·21	13·81	8·21
1893	32·49	17·34	7·91
1894	30·24	13·66	7·50
1895	30·41	14·56	7·51
1896	29·04	14·20	7·98
1897	27·40	14·23	7·28
1898	25·40	16·44	7·84
1899	26·54	14·40	8·00
1900	25·65	12·74	7·49
1901	24·23	13·13	7·58
1902	23·70	13·82	7·78
1903	22·70	12·67	7·13

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified—that is, the proportion of deaths of children under 1 year of age to 100 births registered :—

1886	15·75	1895	12·16
1887	13·68	1896	12·19
1888	11·58	1897	13·35
1889	11·58	1898	16·81
1890	11·95	1899	11·79
1891	11·88	1900	11·85
1892	11·79	1901	11·73
1893	12·59	1902	11·26
1894	10·60	1903	11·11

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole State shown in a previous table.

For comparison, the birth and death rates (inclusive, at least as far as the first seven towns are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the Australasian capital cities and suburbs and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the Australasian capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different Australian States and New Zealand :—

	Births, 1903.	Deaths, 1903.		Births, 1903.	Deaths, 1903.
Adelaide	22·70	12·67	Greater London	28·8	14·5
Melbourne	23·93	14·37	Manchester	32·1	19·7
Sydney	25·01	11·60	Liverpool	33·4	20·5
Brisbane	25·80	13·02	Birmingham	31·8	17·8
Perth	36·86	17·81	Leeds	29·4	16·6
Hobart	27·22	16·70	Edinburgh	24·8	16·8
Wellington	28·63	10·93	Glasgow	31·9	19·2

CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1903, was 39,625 (18,498 males and 21,127 females), being an increase of 140 for the whole year. The births registered in 1903 numbered 876, being fewer by 80 than those of the previous year; and the deaths 845, being fewer by 94 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The statistical authorities of the different Australian States and New Zealand do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended

prehended under the description "public," some giving a much wider meaning to the term "public institutions" than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large Australasian towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions:—

	Births, 1903.	Deaths, 1903.		Births, 1903.	Deaths, 1903.
Adelaide	22·15	21·36	Hobart	28·96	14·72
Melbourne	34·86	31·18	Launceston	31·53	16·10
Bendigo	31·80	23·94	Wellington	29·22	11·30
Ballarat	25·37	18·94	Dunedin	19·54	14·77
Geelong	25·83	16·62	Auckland	31·67	12·97
Sydney	21·61	13·29	Perth	(1901) 38·87	19·96
Brisbane	30·84	21·09			

The marriages celebrated in the city of Adelaide in 1903 numbered 525. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 13·27. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points in view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in South Australia—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1903 for instance, the *gross* death rate of Adelaide reached 21·36 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital and the Destitute Asylum of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 16·08. Further, if, *as far as they can be ascertained* from the registration entries, the deaths in private hospitals and the Children's Hospital of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 13·88. As persons registering deaths are not obliged to name the buildings in which they have occurred, it is of course not possible to find out by an inspection of the entries all the deaths in the city that have happened in private hospitals, lying-in homes, and similar places. But even if this were possible it would further be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences and ordinary lodging-houses of persons who came or were brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the remainder of South Australia, has so high a death record will, perhaps, be more apparent and more readily admitted if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the eight suburban municipalities taken collectively; and yet in 1903 the combined gross death rate of these towns was only 9·37.

CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-three corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows:—

	Births, 1903.	Deaths, 1903.
Municipality of Adelaide	22·15	21·36
Eight suburban corporate towns	23·02	9·37
Fourteen outside corporate towns	32·93	13·90
Twenty-three towns collectively	24·80	13·39

NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of aborigines) in the year 1903:—

	Males.		Females.		Totals.
Estimated population, January 1st, 1903	3,926	556	4,482
Births during the year	20	13	33
Immigration by sea during the year	329	90	419
	4,275	659	4,934
Deaths during the year	71	7	78
	4,204	652	4,856
Emigration by sea during the year (plus 5 per cent.)	635	89	724
	3,569	563	4,132
Estimated population, December 31st, 1903	3,569	563	4,132
Estimated mean population of the year	3,753	558	4,311

The following table shows the estimated population (exclusive of aborigines) divided into persons of European race and those of other races:—

	Males.		Females.		Totals.
Europeans—January 1st, 1903	942	369	1,311
“ December 31st, 1903	912	388	1,300
Asiaties (chiefly Chinese) and others—January 1st, 1903	2,984	187	3,171
“ December 31st, 1903 ..	2,657	175	2,832

The births registered in 1903 numbered 33 (20 males and 13 females), and the deaths 78 (71 males and 7 females). Of these the European births were 16 (7 males and 9 females), and the European deaths 32 (27 males and 5 females). There were 12 marriages.

The general birth rate per 1,000 of the mean population was 7·65; the death rate 18·09; and the marriage rate 2·78. The European birth rate per 1,000 of the mean European population was 12·16; and the death rate 24·32. No inference, however, of statistical value can be drawn from these rates, owing to the smallness of the numbers dealt with and the abnormal state of the population in regard to the distribution of sex and age. The death rates, it will be noted, both the general and the European, were high.

The

The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

Causes of Death.	All Ages.			Under 1 Year.	1—5.	5—10.	10—20.	20—40.	40—60.	60—80.	80 and Up- wards.	Not Stated.
	Total.	M.	F.	//	/		//	/	/	/		
	78	71	7	6	2	1	1	21	32	15	—	—
Typhoid fever	4	3	1	—	—	—	—	3	1	—	—	—
Diarrhoea, dysentery	5	4	1	—	1	—	—	2	1	1	—	—
Fevers, malarial diseases	6	6	—	—	—	—	—	3	2	1	—	—
Cancer.....	1	1	—	—	—	—	—	—	1	—	—	—
Phthisis and other tuberculosis	4	4	—	—	—	—	—	2	2	—	—	—
Premature birth	1	1	—	1	—	—	—	—	—	—	—	—
Paralysis from diving	1	1	—	—	—	—	—	1	—	—	—	—
Convulsions, epilepsy	2	1	1	2	—	—	—	—	—	—	—	—
Diseases of circulatory system.....	4	3	1	—	—	—	—	1	1	2	—	—
Bronchial catarrh	1	1	—	—	—	—	—	—	—	1	—	—
Pneumonia	1	1	—	—	—	—	—	1	—	—	—	—
Teething	1	—	1	1	—	—	—	—	—	—	—	—
Peritonitis	1	—	1	—	—	—	—	—	1	—	—	—
Accidental fracture and contusion	4	4	—	—	—	—	—	1	3	—	—	—
Accidental drowning	2	2	—	—	—	—	—	1	1	—	—	—
Burns	1	1	—	—	—	1	—	—	—	—	—	—
Opium poisoning	1	1	—	—	—	—	—	1	—	—	—	—
Bite of snake	1	1	—	—	—	—	—	—	1	—	—	—
Accident, otherwise	1	1	—	—	—	—	—	—	1	—	—	—
Murder, manslaughter	1	1	—	—	—	—	—	—	1	—	—	—
Suicidal poisoning	1	1	—	—	—	—	—	—	1	—	—	—
Suicidal gunshot wound	1	1	—	—	—	—	—	—	1	—	—	—
Suicide, undefined.....	1	1	—	—	—	—	—	—	1	—	—	—
Debility, low vitality	1	1	—	1	—	—	—	—	—	—	—	—
Undefined or ill-defined	31	30	1	1	1	—	1	5	13	10	—	—

AREA OF SOUTH AUSTRALIA.

	Acres.	Square Miles.
South Australia proper	243,244,800	380,070
Northern Territory	335,116,800	523,620
Total	578,361,600	903,690

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Australian States, New Zealand, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different places named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries.

		Births.	Deaths.	Marriages.
South Australia	1903	23·43	10·71	6·25
Victoria	1903	24·46	12·90	6·29
New South Wales	1903	25·28	11·59	6·86
Queensland	1903	24·62	12·38	5·72
Western Australia	1903	30·27	13·60	9·33
Tasmania	1903	28·61	11·86	7·57
New Zealand	1903	26·61	10·40	8·23
United Kingdom (as a whole)	1901	28·0	17·1	7·55
England and Wales.....	1902	28·6	16·3	7·90
Ireland	1902	23·0	17·5	5·18
Scotland	1902	29·2	17·2	7·04
France	1901	22·0	20·1	7·80
The German Empire	1901	35·7	20·7	8·25
Prussia separately	1901	36·2	20·5	8·30
Austria	1901	36·9	24·2	8·20
Italy	1901	32·6	22·0	7·25
Switzerland	1901	29·1	18·0	7·60
Belgium.....	1901	29·7	17·2	8·47
The Netherlands	1901	32·3	17·2	7·70
Norway	1901	29·8	14·9	6·70
Hungary	1901	37·8	25·4	8·70
Sweden	1901	26·8	16·0	6·05

The rates of other European countries (Denmark, Spain, &c.) have not been given in this table, because in the returns accessible they are not calculated on mean populations, and no data are given by means of which this defect could be remedied. The deaths of French persons abroad, civil and military, are registered in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the third lowest birth rate, the third lowest marriage rate, and the second lowest death rate. If, however, the Australian States and New Zealand alone are considered, South Australia shows the lowest birth rate, the second lowest marriage rate, and the second lowest death rate.

The following table shows the estimated population in each of the six Australian States and New Zealand on December 31st, 1903. The numbers given are *exclusive of full-blood aborigines* :—

	Males.		Females.		Total.
New South Wales	754,653	677,011	1,431,664
Victoria	605,361	603,493	1,208,854
Queensland	285,297	230,233	515,530
South Australia proper	183,584	181,107	364,691
“ Northern Territory.....	3,569	563	4,132
Western Australia	135,961	90,993	226,954
Tasmania	93,078	86,409	179,487
	2,061,503	1,869,809	3,931,312
New Zealand	439,674	392,831	832,505
	2,501,177		2,262,640		4,763,817

CONCLUSION.

In various places in this report and the tables accompanying it the numbers showing rates, population etc., for 1902, differ somewhat from those given in the annual report for that year. This is because subsequently to the writing of that report the estimates of population for 1902, both for South Australia proper and the Northern Territory, were, like those for 1903, revised in accordance with the schemes agreed upon at the Conference of Statisticians held in Melbourne last year, and necessarily this led in several instances to alterations also in the numbers showing rates.

I have, &c.,

The Hon. the Chief Secretary.

G. H. AYLIFFE, Registrar-General of Births, &c.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1903.

Month.	Thermometer— Fahr. (in shade).			Barometer.			Rain.		Deaths from all Causes.										
									Ages.					Including Deaths from					
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.	Total Fall.	No. of Days Rain Fell.	All Ages.	Under 1 Year.	1—5.	5—60.	60—80.	80 and Upwards.	Diphtheria.	Enteric Fever.	Diarrhoea and Dysentery.	All Tubercular Diseases.	Diseases of Res- piratory System.
	°	°	°	in.	in.	in.	in.												
January ...	102·3	51·9	72·4	30·133	29·500	29·882	0·87	5	78	16	6	37	14	5	—	2	3	11	6
February...	105·6	49·6	70·2	30·122	29·509	29·846	1·00	5	80	14	4	41	16	5	—	2	1	12	10
March	97·5	46·9	69·1	30·188	29·420	29·854	2·20	8	67	16	1	27	21	2	—	1	1	10	4
April.....	92·9	45·8	63·1	30·290	29·470	29·913	2·78	14	56	9	—	23	18	6	—	3	1	2	2
May	76·6	38·7	56·0	30·361	29·557	30·091	1·70	11	57	9	1	32	15	—	1	2	—	8	5
June	64·0	38·2	51·8	30·444	29·546	29·979	3·87	18	70	13	1	33	18	5	—	1	2	8	9
July	65·0	32·2	51·0	30·383	29·487	29·925	3·47	16	84	5	1	44	27	7	1	—	—	12	9
August ...	70·0	37·7	53·8	30·325	29·690	29·981	2·34	14	73	7	—	39	22	5	—	1	1	4	9
September.	81·2	40·1	57·4	30·220	29·277	29·800	2·85	16	75	5	4	41	21	4	1	—	1	14	4
October	94·8	41·5	64·0	30·200	29·565	29·874	0·66	9	45	4	3	26	11	1	—	—	1	9	5
November .	96·2	46·3	69·3	30·110	29·313	29·830	2·57	12	69	10	—	35	17	7	—	—	1	10	6
December..	99·7	46·9	69·4	30·185	29·355	29·792	1·16	6	91	20	3	41	25	2	—	—	6	11	7
Totals	25·47	134	845	128	24	419	225	49	3	12	18	111	76

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

G. H. AYLIFFE, Registrar-General of Births, &c.

APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No. 1.—RETURN showing the Number of Births, Marriages, and Deaths which were registered in South Australia (exclusive of the Northern Territory) in the Year 1903, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

Districts.	Total Number of—			Proportion to every Thousand of the Mean Population of—		
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
Metropolitan { City of Adelaide	876	525	845	22·15	13·27	21·36
Suburbs “	2,912	665	1,269	22·87	5·22	9·97
Total Metropolitan	3,788	1,190	2,114	22·70	7·13	12·67
Extra-Metropolitan	4,687	1,070	1,759	24·06	5·49	9·03
Total South Australia.....	8,475	2,260	3,873	23·43	6·25	10·71

No. 2.—DECENNIAL RETURN showing the proportion of Births, Marriages and Deaths in South Australia (exclusive of the Northern Territory) to the estimated Mean Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1894	30·82	6·16	11·77
1895	30·69	5·96	11·42
1896	29·04	6·33	11·71
1897	27·69	5·66	11·54
1898	25·79	6·38	13·48
1899	26·72	6·44	12·53
1900	25·81	6·51	10·65
1901	25·39	6·44	11·11
1902	24·80	6·60	11·77
1903	23·43	6·25	10·71

BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Quarter of the Year 1903, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	8,475	4,464	4,011	2,058	1,061	997	2,183	1,164	1,019	2,158	1,142	1,016	2,076	1,097	979
Deaths.....	3,873	2,171	1,702	972	545	427	940	532	408	1,009	560	449	952	534	418
Excess of Births over Deaths..	4,602	2,293	2,309	1,086	516	570	1,243	632	611	1,149	582	567	1,124	563	561

No. 4.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Year 1903.

Month.	Births.			Deaths.		
	Total.	Males.	Females.	Total.	Males.	Females.
January	717	363	354	347	191	156
February	632	336	296	308	185	123
March	709	362	347	317	169	148
April	686	371	315	320	191	129
May	735	375	360	276	150	126
June	762	418	344	344	191	153
July	676	368	308	397	220	177
August	725	368	357	307	169	138
September	757	406	351	305	171	134
October	676	363	313	228	119	109
November	694	369	325	309	156	153
December	706	365	341	415	259	156
Total	8,475	4,464	4,011	3,873	2,171	1,702

No. 5.—COMPARATIVE RETURN showing the number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Years 1902 and 1903.

MONTHS.	BIRTHS.						CLASS.	DEATHS.								
	1902.			1903.				Causes of Death.	1902.			1903.				
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.		
January ...	376	364	740	363	354	717		All causes	202	181	383	191	156	347		
							I.	Zymotic diseases	25	29	54	21	24	45		
							II.	Parasitic diseases	—	2	2	1	—	1		
							III.	Dietic diseases	2	—	2	2	—	2		
							IV.	Constitutional diseases	19	35	54	33	39	72		
							V.	Developmental diseases	27	21	48	14	14	28		
							VI.	Local diseases	97	78	175	89	64	153		
							VII.	Violence	21	6	27	21	5	26		
							VIII.	Ill-defined or not specified causes ...	11	10	21	10	10	20		
February...	323	328	651	336	296	632		All causes	150	164	314	185	123	308		
							I.	Zymotic diseases	21	30	51	21	11	32		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	1	2	3	—	2	2		
							IV.	Constitutional diseases	26	33	59	24	34	58		
							V.	Developmental diseases	14	15	29	15	8	23		
							VI.	Local diseases	64	75	139	106	62	168		
							VII.	Violence	13	5	18	12	2	14		
							VIII.	Ill-defined or not specified causes ...	10	4	14	7	4	11		
March	383	363	746	362	347	709		All causes	150	134	284	169	148	317		
							I.	Zymotic diseases	22	19	41	18	25	43		
							II.	Parasitic diseases	1	—	1	2	1	3		
							III.	Dietic diseases	2	2	4	—	—	—		
							IV.	Constitutional diseases	19	32	51	21	29	50		
							V.	Developmental diseases	19	15	34	27	12	39		
							VI.	Local diseases	76	56	132	71	72	143		
							VII.	Violence	5	3	8	24	1	25		
							VIII.	Ill-defined or not specified causes ...	6	7	13	6	8	14		
April.....	369	390	759	371	315	686		All causes	206	149	355	191	129	320		
							I.	Zymotic diseases	30	33	63	17	14	31		
							II.	Parasitic diseases	1	—	1	2	—	2		
							III.	Dietic diseases	4	1	5	—	—	—		
							IV.	Constitutional diseases	30	24	54	24	32	56		
							V.	Developmental diseases	25	18	43	33	16	49		
							VI.	Local diseases	89	63	152	96	58	154		
							VII.	Violence	11	5	16	8	3	11		
							VIII.	Ill-defined or not specified causes ...	16	5	21	11	6	17		
May	442	351	793	375	360	735		All causes	241	188	429	150	126	276		
							I.	Zymotic diseases	41	30	71	15	15	30		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	2	1	3	2	—	2		
							IV.	Constitutional diseases	39	33	72	28	28	56		
							V.	Developmental diseases	26	20	46	15	18	33		
							VI.	Local diseases	102	91	193	73	51	124		
							VII.	Violence	17	5	22	9	7	16		
							VIII.	Ill-defined or not specified causes ...	13	8	21	8	7	15		
June	395	377	772	418	344	762		All causes	209	190	399	191	153	344		
							I.	Zymotic diseases	36	35	71	18	14	32		
							II.	Parasitic diseases	1	—	1	—	—	—		
							III.	Dietic diseases	—	—	—	1	1	2		
							IV.	Constitutional diseases	31	30	61	32	33	65		
							V.	Developmental diseases	26	30	56	29	19	48		
							VI.	Local diseases	93	81	174	89	77	166		
							VII.	Violence	10	4	14	13	5	18		
							VIII.	Ill-defined or not specified causes ...	12	10	22	9	4	13		
July	403	427	830	368	308	676		All causes	209	160	369	220	177	397		
							I.	Zymotic diseases	37	26	63	12	13	25		
							II.	Parasitic diseases	—	2	2	—	2	2		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	38	34	72	45	26	71		
							V.	Developmental diseases	28	17	45	24	26	50		
							VI.	Local diseases	87	68	155	109	98	207		
							VII.	Violence	12	5	17	19	8	27		
							VIII.	Ill-defined or not specified causes ...	7	8	15	11	4	15		
August.....	408	385	793	368	357	725		All causes	176	151	327	169	138	307		
							I.	Zymotic diseases	22	22	44	11	8	19		
							II.	Parasitic diseases	—	—	—	1	1	2		
							III.	Dietic diseases	—	1	1	1	—	1		
							IV.	Constitutional diseases	36	29	65	31	24	55		
							V.	Developmental diseases	19	18	37	30	22	52		
							VI.	Local diseases	80	74	154	80	74	154		
							VII.	Violence	16	5	21	7	3	10		
							VIII.	Ill-defined or not specified causes ...	3	2	5	8	6	14		
September	438	407	845	406	351	757		All causes	189	167	356	171	134	305		
							I.	Zymotic diseases	22	26	48	13	21	34		
							II.	Parasitic diseases	2	—	2	1	—	1		
							III.	Dietic diseases	—	—	—	—	1	1		
							IV.	Constitutional diseases	21	27	48	34	31	65		
							V.	Developmental diseases	28	26	54	19	21	40		
							VI.	Local diseases	100	80	180	82	51	133		
							VII.	Violence	8	3	11	15	5	20		
							VIII.	Ill-defined or not specified causes ...	8	5	13	7	4	11		
October ...	360	346	706	363	313	676		All causes	187	151	338	119	109	228		
							I.	Zymotic diseases	23	23	46	8	11	19		
							II.	Parasitic diseases	1	—	1	—	2	2		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	37	26	63	25	31	56		
							V.	Developmental diseases	17	29	46	14	10	24		
							VI.	Local diseases	87	60	147	53	52	105		
							VII.	Violence	16	8	24	16	—	16		
							VIII.	Ill-defined or not specified causes ...	6	5	11	3	3	6		
November .	340	294	634	369	325	694		All causes	192	146	338	156	153	309		
							I.	Zymotic diseases	23	18	41	8	25	33		
							II.	Parasitic diseases	—	—	—	1	—	1		
							III.	Dietic diseases	1	—	1	2	2	4		
							IV.	Constitutional diseases	22	26	48	30	31	61		
							V.	Developmental diseases	29	20	49	24	9	33		
							VI.	Local diseases	91	69	160	76	77	153		
							VII.	Violence	20	4	24	12	3	15		
							VIII.	Ill-defined or not specified causes ...	6	9	15	3	6	9		
December .	342	316	658	365	341	706		All causes	205	139	344	259	156	415		
							I.	Zymotic diseases	27	23	50	35	23	58		
							II.	Parasitic diseases	1	1	2	1	2	3		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	37	26	63	41	36	77		
							V.	Developmental diseases	14	19	33	39	13	52		
							VI.	Local diseases	97	56	153	116	71	187		
							VII.	Violence	17	3	20	15	3	18		
							VIII.	Ill-defined or not specified causes ...	12	11	23	12	8	20		

No. 6.—COMPARATIVE RETURN showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1902 and 1903.

MONTH.	BIRTHS.						CLASS.	Cause of Death.	DEATHS.					
	1902.			1903.					1902.			1903.		
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.
January ...	43	32	75	30	44	74		All causes	60	39	99	41	37	78
							I.	Zymotic diseases	8	6	14	3	2	5
							II.	Parasitic diseases	—	2	2	—	—	—
							III.	Dietic diseases	1	—	1	1	—	1
							IV.	Constitutional diseases	6	6	12	11	10	21
							V.	Developmental diseases	9	8	17	2	3	5
							VI.	Local diseases	30	14	44	20	17	37
							VII.	Violence	4	1	5	3	2	5
							VIII.	Ill-defined or not specified causes ...	2	2	4	1	3	4
February...	28	40	68	49	33	82		All causes	30	35	65	51	29	80
							I.	Zymotic diseases	6	8	14	4	—	4
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	1	1	—	1	1
							IV.	Constitutional diseases	7	10	17	7	13	20
							V.	Developmental diseases	2	2	4	6	2	8
							VI.	Local diseases	10	12	22	32	12	44
							VII.	Violence	3	1	4	1	—	1
							VIII.	Ill-defined or not specified causes ...	2	1	3	1	1	2
March	39	35	74	37	26	63		All causes	26	33	59	39	28	67
							I.	Zymotic diseases	—	5	5	3	1	4
							II.	Parasitic diseases	—	—	—	1	—	1
							III.	Dietic diseases	2	1	3	—	—	—
							IV.	Constitutional diseases	5	11	16	9	9	18
							V.	Developmental diseases	4	1	5	8	3	11
							VI.	Local diseases	14	13	27	14	13	27
							VII.	Violence	1	—	1	2	—	2
							VIII.	Ill-defined or not specified causes ...	—	2	2	2	2	4
April	56	46	102	23	20	43		All causes	55	27	82	30	26	56
							I.	Zymotic diseases	7	8	15	1	3	4
							II.	Parasitic diseases	1	—	1	—	—	—
							III.	Dietic diseases	3	1	4	—	—	—
							IV.	Constitutional diseases	7	4	11	4	5	9
							V.	Developmental diseases	8	1	9	5	1	6
							VI.	Local diseases	24	12	36	17	13	30
							VII.	Violence	2	—	2	1	2	3
							VIII.	Ill-defined or not specified causes ...	3	1	4	2	2	4
May	42	24	66	44	36	80		All causes	45	40	85	26	31	57
							I.	Zymotic diseases	8	7	15	2	2	4
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	1	1	2	—	—	—
							IV.	Constitutional diseases	10	11	21	4	6	10
							V.	Developmental diseases	5	3	8	2	2	4
							VI.	Local diseases	17	16	33	15	17	32
							VII.	Violence	3	2	5	3	2	5
							VIII.	Ill-defined or not specified causes ...	1	—	1	—	2	2
June	49	41	90	43	32	75		All causes	51	53	104	36	34	70
							I.	Zymotic diseases	12	12	24	2	3	5
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	—	1	1
							IV.	Constitutional diseases	12	8	20	9	5	14
							V.	Developmental diseases	6	10	16	3	4	7
							VI.	Local diseases	16	19	35	18	20	38
							VII.	Violence	2	—	2	3	—	3
							VIII.	Ill-defined or not specified causes ...	3	4	7	1	1	2
July	40	43	83	36	34	70		All causes	45	39	84	51	33	84
							I.	Zymotic diseases	7	7	14	1	3	4
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	13	8	21	11	6	17
							V.	Developmental diseases	5	5	10	5	3	8
							VI.	Local diseases	15	14	29	30	20	50
							VII.	Violence	3	2	5	2	1	3
							VIII.	Ill-defined or not specified causes ...	2	2	4	2	—	2
August	40	39	79	34	32	66		All causes	46	33	79	42	31	73
							I.	Zymotic diseases	2	5	7	3	4	7
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	1	1	1	—	1
							IV.	Constitutional diseases	12	8	20	10	7	17
							V.	Developmental diseases	6	2	8	8	1	9
							VI.	Local diseases	24	15	39	16	19	35
							VII.	Violence	1	2	3	2	—	2
							VIII.	Ill-defined or not specified causes ...	1	—	1	2	—	2
September.	51	40	91	57	42	99		All causes	52	29	81	54	21	75
							I.	Zymotic diseases	2	3	5	3	3	6
							II.	Parasitic diseases	1	—	1	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	6	6	12	14	8	22
							V.	Developmental diseases	10	3	13	5	2	7
							VI.	Local diseases	29	16	45	26	8	34
							VII.	Violence	3	1	4	4	—	4
							VIII.	Ill-defined or not specified causes ...	1	—	1	2	—	2
October ...	37	34	71	28	35	63		All causes	37	29	66	24	21	45
							I.	Zymotic diseases	—	3	3	2	2	4
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	7	7	14	7	5	12
							V.	Developmental diseases	2	8	10	2	1	3
							VI.	Local diseases	25	10	35	10	12	22
							VII.	Violence	3	1	4	2	—	2
							VIII.	Ill-defined or not specified causes ...	—	—	—	1	1	2
November.	38	38	76	35	36	71		All causes	45	30	75	37	32	69
							I.	Zymotic diseases	2	2	4	—	1	1
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	—	2	2
							IV.	Constitutional diseases	9	8	17	10	9	19
							V.	Developmental diseases	7	3	10	6	2	8
							VI.	Local diseases	22	16	38	16	16	32
							VII.	Violence	4	—	4	4	—	4
							VIII.	Ill-defined or not specified causes ...	1	1	2	1	2	3
December...	44	37	81	45	45	90		All causes	41	19	60	56	35	91
							I.	Zymotic diseases	6	2	8	4	2	6
							II.	Parasitic diseases	1	1	2	—	2	2
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	4	7	11	13	9	22
							V.	Developmental diseases	6	1	7	10	1	11
							VI.	Local diseases	16	6	22	27	19	46
							VII.	Violence	5	—	5	1	—	1
							VIII.	Ill-defined or not specified causes ...	3	2	5	1	2	3

No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1899 to 1903, inclusive.

District.	Births.															Deaths.														
	1899.			1900.			1901.			1902.			1903.			1899.			1900.			1901.			1902.			1903.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.			
Adelaide	1,115	1,023	2,138	1,023	1,053	2,076	971	1,026	1,997	1,019	921	1,940	1,039	862	1,901	732	645	1,377	657	532	1,189	707	552	1,259	765	641	1,406	723	539	1,262
Willunga.....	25	19	44	18	28	46	18	20	38	16	32	48	34	21	55	22	10	32	7	7	14	11	8	19	10	6	16	14	3	17
Yankalilla.....	32	30	62	29	26	55	35	17	52	36	25	61	25	34	59	45	14	59	6	6	12	15	17	32	11	6	17	13	10	23
Encounter Bay	37	37	74	37	40	77	33	34	67	39	38	77	24	31	55	13	23	36	11	22	33	13	9	22	9	19	28	14	10	24
Strathalbyn	51	50	101	57	50	107	45	31	76	51	34	85	53	37	90	26	20	46	20	24	44	21	31	52	25	15	40	26	21	47
Robe	36	47	83	43	21	64	36	37	73	38	33	71	26	26	52	24	13	37	11	9	20	21	5	26	18	13	31	17	14	31
Grey	163	152	315	175	171	346	186	158	344	161	163	324	186	184	370	83	61	144	50	70	120	63	49	112	69	62	131	65	62	127
Wellington.....	91	75	166	61	69	130	77	64	141	76	72	148	76	76	152	22	16	38	23	19	42	20	14	34	23	12	35	17	16	33
Morphett Vale	43	40	83	33	36	69	53	37	90	40	47	87	36	26	62	16	16	32	11	10	21	13	11	24	18	15	33	17	14	31
Mount Barker	48	44	92	38	43	81	48	46	94	51	49	100	37	32	69	20	24	44	20	24	44	18	17	35	25	15	40	21	12	33
Nairne	87	75	162	112	103	215	77	94	171	82	77	159	84	85	169	27	35	62	27	27	54	32	22	54	23	26	49	26	23	49
Talunga	115	92	207	102	96	198	92	95	187	99	82	181	92	91	183	38	32	70	39	26	65	32	20	52	24	28	52	28	20	48
Highercombe.....	25	28	53	33	29	62	32	21	53	22	16	38	23	21	44	10	10	20	5	5	10	11	6	17	7	4	11	8	9	17
Port Gawler	74	54	128	60	52	112	59	62	121	68	57	125	57	59	116	21	21	42	14	15	29	24	26	50	25	23	48	17	18	35
Crawford.....	33	38	71	31	33	64	37	26	63	37	31	68	34	23	57	10	5	15	9	9	18	9	10	19	9	6	15	5	7	12
Barossa	102	122	224	102	94	196	129	111	240	105	92	197	121	93	214	54	47	101	36	36	72	40	31	71	42	49	91	45	48	93
Angaston.....	73	84	157	66	79	145	83	80	163	80	80	160	82	72	154	40	33	73	27	27	54	29	24	53	32	43	75	40	38	78
Kapunda.....	150	124	274	158	151	309	160	140	300	142	131	273	125	103	228	77	50	127	41	45	86	58	48	106	59	44	103	55	37	92
Gilbert	123	104	227	129	108	237	116	119	235	130	131	261	109	98	207	48	38	86	32	28	60	39	31	70	39	33	72	36	42	78
Burra	140	137	277	116	129	245	121	129	250	101	107	208	99	91	190	59	39	98	47	34	81	69	34	103	58	51	109	44	36	80
Clare.....	356	357	713	360	321	681	386	339	725	379	332	711	360	334	694	172	134	306	164	112	276	178	146	324	215	126	341	161	100	261
Flinders	101	78	179	74	80	154	94	108	202	84	88	172	98	86	184	19	15	34	27	17	44	35	18	53	41	19	60	30	19	49
Frome	376	370	746	324	319	643	337	319	656	302	283	585	256	236	492	142	108	250	123	101	224	130	93	223	132	99	231	130	86	216
Daly	392	357	749	389	378	767	389	372	761	436	408	844	404	351	755	201	165	366	163	143	306	157	112	269	180	136	316	139	133	272
Upper Wakefield	22	23	45	20	27	47	25	22	47	22	22	44	20	16	36	11	17	28	5	7	12	13	11	24	10	6	16	7	6	13
Port Adelaide	367	330	697	377	349	717	337	323	660	313	332	645	289	291	580	147	153	300	150	154	304	143	124	267	152	140	292	132	101	233
Hindmarsh.....	248	237	485	256	226	482	244	210	454	262	238	500	229	229	458	93	99	192	91	78	169	96	94	190	87	78	165	89	74	163
Norwood.....	416	429	845	418	400	818	445	374	819	388	427	815	446	403	849	190	201	391	178	193	371	209	205	414	208	205	413	252	204	456
Total	4,841	4,556	9,397	4,641	4,502	9,143	4,665	4,414	9,079	4,579	4,348	8,927	4,464	4,011	8,475	2,362	2,044	4,406	1,994	1,780	3,774	2,206	1,768	3,974	2,316	1,920	4,236	2,171	1,702	3,873

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1903 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Births.							Number of Deaths.	Excess of Births over Deaths.
	Total.	Registered in the Quarter ended the last day of—				Males.	Females.		
		March.	June.	Sept.	Dec.				
Metropolitan { City of Adelaide	876	219	198	235	224	461	415	845	31
Suburbs of Adelaide	2,912	722	768	729	693	1,542	1,370	1,269	1,643
Extra-Metropolitan	4,687	1,117	1,217	1,194	1,159	2,461	2,226	1,759	2,928
Total	8,475	2,058	2,183	2,158	2,076	4,464	4,011	3,873	4,602

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Deaths.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1894	10,476	5,407	5,069	2,569	1,331	1,238	2,764	1,426	1,338	2,650	1,356	1,294	2,493	1,294	1,199	4,001	6,475
1895	10,537	5,404	5,133	2,590	1,320	1,270	2,771	1,439	1,332	2,772	1,410	1,362	2,404	1,235	1,169	3,921	6,616
1896	10,012	5,085	4,927	2,387	1,192	1,195	2,718	1,377	1,341	2,500	1,276	1,224	2,407	1,240	1,167	4,038	5,974
1897	9,535	4,881	4,654	2,339	1,201	1,138	2,361	1,198	1,163	2,556	1,338	1,218	2,279	1,144	1,135	3,973	5,562
1898	8,945	4,568	4,377	2,289	1,165	1,124	2,325	1,171	1,154	2,366	1,231	1,135	1,965	1,001	964	4,675	4,270
1899	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022	4,406	4,991
1900	9,143	4,641	4,502	2,287	1,132	1,155	2,463	1,239	1,224	2,209	1,119	1,090	2,184	1,151	1,033	3,774	5,369
1901	9,079	4,665	4,414	2,228	1,155	1,073	2,327	1,175	1,152	2,370	1,244	1,126	2,154	1,091	1,063	3,974	5,105
1902	8,927	4,579	4,348	2,137	1,082	1,055	2,324	1,206	1,118	2,468	1,249	1,219	1,998	1,042	956	4,236	4,691
1903	8,475	4,464	4,011	2,058	1,061	997	2,183	1,164	1,019	2,158	1,142	1,016	2,076	1,097	979	3,873	4,602

18

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
Quarter ended March 31	2,569	2,590	2,387	2,339	2,289	2,226	2,287	2,228	2,137	2,058
June 30	2,764	2,771	2,718	2,361	2,325	2,542	2,463	2,327	2,324	2,183
September 30	2,650	2,772	2,500	2,556	2,366	2,492	2,209	2,370	2,468	2,158
December 31	2,493	2,404	2,407	2,279	1,965	2,137	2,184	2,154	1,998	2,076
Total	10,476	10,537	10,012	9,535	8,945	9,397	9,143	9,079	8,927	8,475

No. 11.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

		1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
No. 19.	Quarter ended March 31.....	596	512	537	515	571	545	563	562	631	489
	June 30	493	570	584	508	588	587	655	657	652	611
	September 30	485	443	504	501	514	569	512	540	556	599
	December 31	520	523	558	425	541	564	575	545	537	561
	Total	2,094	2,048	2,183	1,949	2,214	2,265	2,305	2,304	2,376	2,260

No. 12.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory).

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—																			Contracted between—						
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Congrega- tionalist.	Wesleyan.*	Christian Brethren.	Church of Christ.	Free Presby- terian.	Baptist.	Bible Chris- tian.*	Primitive Methodist.*	Seventh Day Adventist.	City Mission Church.	Moravians.	Jews.	Unitarians.	Registrars.	Officiating Registrars.	New Jerusalem Church.	Salvation Army.	Welsh Free Church.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1894	2,094	596	493	485	520	443	99	258	147	100	342	9	56	1	121	165	176	—	—	1	3	2	134	11	—	17	9	1,824	83	120	67
1895	2,048	512	570	443	523	417	84	272	140	121	313	10	67	—	106	161	202	—	—	3	3	8	104	6	—	24	7	1,781	78	136	53
1896	2,183	537	584	504	558	465	110	249	138	118	349	12	62	3	137	188	196	2	—	1	7	1	104	5	9	25	2	1,914	76	132	61
1897	1,949	515	508	501	425	404	87	200	132	117	286	11	77	2	138	147	162	—	—	1	—	—	97	6	61	21	—	1,709	69	107	64
1898	2,214	571	588	514	541	443	74	276	145	106	348	14	72	3	117	146	193	2	—	4	4	1	84	40	117	25	—	1,901	92	148	73
1899	2,265	545	587	509	504	494	106	267	140	109	334	27	68	5	123	178	183	3	4	1	3	1	70	160	—	19	—	1,978	90	141	56
1900	2,305	503	655	512	575	531	123	221	154	135	350	35	91	—	140	185	177	2	12	2	3	—	84	35	—	25	—	2,018	60	144	83
1901	2,304	562	657	540	545	505	133	256	152	142	347	19	88	—	146	181	163	2	11	4	1	1	84	44	9	16	—	1,996	58	174	76
1902	2,376	631	652	556	537	498	109	262	155	115	346	25	90	1	170	163	242	1	25	3	1	3	90	14	39	24	—	2,080	89	130	68
1903	2,260	489	611	599	561	461	104	249	167	109	343	24	106	4	176	129	198	3	20	5	2	6	93	14	29	18	—	1,998	60	140	62

* Amalgamated under the title "Methodist" from January 1st, 1902.

No. 13.—RETURN showing the Number of Persons Married, at different Ages, in South Australia (exclusive of the Northern Territory) in the Year 1903.

Ages	15—		16—		17—		18—		19—		20—		21—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70 and upwards.		Not stated.				Total.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total				
Celebrated in Quarter ended—																																													
March 31	—	—	—	2	—	9	1	21	3	38	10	31	146	171	171	133	70	41	38	23	24	13	13	1	4	3	4	1	4	1	—	—	1	1	—	—	—	—	—	—	—	—	489	489	978
June 30	—	2	—	5	—	11	—	24	5	35	10	46	173	221	219	172	107	49	52	25	20	8	7	4	4	3	3	5	3	1	4	—	4	—	—	—	—	—	—	—	—	611	611	1,222	
Sept. 30	—	1	—	3	—	7	5	25	2	28	9	32	149	231	220	167	105	56	47	26	27	10	17	0	6	2	5	—	4	2	1	2	—	2	—	—	—	—	—	—	—	—	599	599	1,198
Dec. 31	—	2	—	2	—	18	2	22	4	34	9	34	161	224	198	131	83	53	41	18	31	11	14	1	5	5	4	1	1	4	5	1	3	—	—	—	—	—	—	—	—	561	561	1,122	
Total	—	5	—	12	—	45	8	93	14	135	38	143	629	847	808	603	365	199	178	92	102	42	51	12	19	13	16	7	12	8	10	3	10	1	—	—	—	—	—	—	—	2,260	2,260	4,520	
Widowers and Spinsters	—	1	—	—	—	3	—	2	—	4	—	4	3	23	11	41	26	22	24	22	32	13	19	2	6	2	9	—	3	1	4	—	3	—	—	—	—	—	—	—	—	140	140	280	
Widowers and Widows	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	2	9	6	13	10	10	14	3	3	7	7	6	6	7	5	1	7	1	—	—	—	—	—	—	—	62	62	124	
Bachelors and Widows	—	—	—	—	—	—	—	—	—	—	—	—	5	3	11	6	7	15	12	11	13	12	5	7	5	3	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	60	60	120	
Signatures by marks	—	—	—	—	—	—	—	1	—	—	—	1	3	7	4	3	6	1	4	2	4	2	2	1	1	2	—	—	4	—	3	1	2	1	—	—	—	—	—	—	—	—	34	21	55

No. 14.—RETURN showing the Number of Deaths registered in each Quarter of the Year 1903 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Total.	Males.	Females.	Registered in the Quarter ended last day of—				Number of Births.	Excess of Births over Deaths.
				March.	June.	September.	December.		
Metropolitan { City of Adelaide.....	845	487	358	225	183	232	205	876	31
{ Suburbs ".....	1,259	709	560	289	308	328	344	2,912	1,643
Extra-Metropolitan	1,759	975	784	458	449	449	403	4,687	2,928
Total	3,873	2,171	1,702	972	940	1,009	952	8,475	4,602

No. 15.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Births.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1894.....	4,001	2,184	1,817	990	584	464	1,019	556	463	972	532	440	962	512	450	10,476	6,475
1895.....	3,921	2,165	1,756	1,123	579	411	905	503	402	839	462	377	1,187	621	566	10,537	6,616
1896.....	4,038	2,121	1,917	1,009	568	555	1,009	540	469	958	498	460	948	515	433	10,012	5,974
1897.....	3,973	2,192	1,781	1,314	550	459	978	530	448	875	510	365	1,111	602	509	9,535	5,562
1898.....	4,675	2,584	2,091	1,115	730	584	1,156	644	512	904	500	404	1,301	710	591	8,945	4,270
1899.....	4,406	2,362	2,044	1,008	610	505	1,137	636	501	898	458	440	1,256	658	598	9,397	4,991
1900.....	3,774	1,994	1,780	1,028	531	477	870	464	406	921	484	437	975	515	460	9,143	5,369
1901.....	3,974	2,206	1,768	981	557	471	912	509	403	1,037	586	451	997	554	443	9,079	5,105
1902.....	4,236	2,316	1,920	1,041	502	479	1,183	656	527	1,052	574	478	1,020	584	436	8,927	4,691
1903.....	3,873	2,171	1,702	972	545	427	940	532	408	1,009	560	449	952	534	418	8,475	4,602

No. 16.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
Quarter ended March 31	1,048	990	1,123	1,009	1,314	1,115	1,008	1,028	981	972
June 30	1,019	905	1,009	978	1,156	1,137	870	912	1,183	940
September 30	972	839	958	875	904	898	921	1,037	1,052	1,009
December 31	962	1,187	948	1,111	1,301	1,256	975	997	1,020	952
Total	4,001	3,921	4,038	3,973	4,675	4,406	3,774	3,974	4,236	3,873

No. 17.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) in each Month.

Month.	1894.	1895.	1896	1897.	1898.	1899.	1900.	1901.	1902.	1903.
January	435	326	442	290	506	437	402	337	383	342
February	310	365	329	346	400	351	281	315	314	308
March	303	299	352	373	408	327	325	376	284	317
April	340	305	291	318	438	369	289	317	355	320
May.....	348	356	341	294	357	392	310	294	429	276
June	331	244	377	366	361	376	271	301	399	344
July.....	303	301	339	297	268	290	291	341	369	397
August	333	274	333	306	317	308	331	371	327	307
September	336	264	286	272	319	300	299	325	356	305
October	292	351	275	247	340	469	304	273	338	228
November	328	411	292	367	486	432	327	317	338	309
December	342	425	381	497	475	355	344	407	344	415
Total	4,001	3,921	4,038	3,973	4,675	4,406	3,774	3,974	4,236	3,873

310
4,038

No. 18.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) at Different Periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40.			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1894	556	428	984	418	360	778	317	305	622	327	229	556	461	389	850	102	114	208	3	—	3	2,184	1,817	4,001
1895	578	442	1,000	317	300	617	310	325	635	351	231	582	476	364	840	129	147	243	4	—	4	2,165	1,756	3,921
1896	557	458	1,015	279	320	599	323	361	684	379	258	637	459	373	832	123	104	270	1	—	1	2,121	1,917	4,038
1897	586	454	1,040	295	280	575	294	310	604	371	249	620	513	384	897	131	148	235	2	—	2	2,192	1,781	3,973
1898	726	525	1,251	407	391	798	345	338	683	404	267	671	555	422	977	145	160	293	2	—	2	2,584	2,091	4,675
1899	596	453	1,049	353	363	716	324	353	677	375	294	669	574	421	995	138	140	298	2	—	2	2,362	2,044	4,406
1900	471	440	911	273	277	550	266	297	563	369	257	626	475	368	843	139	140	279	1	1	2	1,994	1,780	3,774
1901	522	387	909	296	252	548	312	289	601	410	256	666	520	444	964	143	191	283	3	—	3	2,206	1,768	3,974
1902	465	372	837	413	342	755	294	289	583	409	265	674	561	461	1,022	173	106	364	1	—	1	2,316	1,920	4,236
1903	470	350	820	258	246	504	287	296	583	407	243	650	571	412	983	177	155	332	1	—	1	2,171	1,702	3,873

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903.

		MALES.																										
Class.	Cause of Death.	Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
	ALL CAUSES	2,171	470	64	19	14	8	46	49	58	69	70	62	86	72	94	118	123	134	152	144	141	101	60	14	2	1	
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES	197	80	16	8	7	2	13	4	2	12	6	4	8	4	7	3	3	3	3	2	4	3	3	—	—	—	
II.	PARASITIC DISEASES.....	9	1	—	—	—	—	—	1	—	—	1	1	2	1	—	—	—	—	1	—	1	—	—	—	—	—	
III.	DIETIC DISEASES.....	8	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	
IV.	CONSTITUTIONAL DISEASES	368	7	6	2	1	4	6	16	11	23	19	28	26	15	24	33	36	31	37	17	18	7	1	—	—	—	
V.	DEVELOPMENTAL DISEASES	283	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	12	27	53	48	39	10	2	—	
VI.	LOCAL DISEASES	1,040	211	36	6	4	2	14	20	25	24	33	19	35	42	44	63	71	81	98	89	63	40	17	3	—	—	
VII.	VIOLENCE	171	4	2	3	1	—	13	7	20	10	11	10	15	9	13	17	11	10	1	8	1	3	—	1	—	1	
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	95	76	4	—	1	—	—	1	—	—	—	—	—	—	5	1	1	5	—	—	1	—	—	—	—	—	
I.	1. MIASMATIC DISEASES	97	19	8	5	6	2	9	4	1	11	6	4	6	2	4	2	1	1	1	2	—	2	1	—	—	—	
	2. DIARRHEAL DISEASES.....	86	57	7	3	1	—	4	—	—	—	—	—	—	2	1	—	2	1	2	—	3	1	2	—	—	—	
	3. MALARIAL DISEASES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. VENEREAL DISEASES	3	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
	6. SEPTIC DISEASES	10	3	1	—	—	—	—	—	1	1	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	
II.	PARASITIC DISEASES	9	1	—	—	—	—	—	1	—	—	1	1	2	1	—	—	—	—	1	—	1	—	—	—	—	—	
III.	DIETIC DISEASES	8	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	
IV.	CONSTITUTIONAL DISEASES	368	7	6	2	1	4	6	16	11	23	19	28	26	15	24	33	36	31	37	17	18	7	1	—	—	—	
V.	DEVELOPMENTAL DISEASES.....	283	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	12	27	53	48	39	10	2	—	
VI.	1. DISEASES OF NERVOUS SYS- TEM	243	48	8	2	2	1	4	7	4	5	6	2	11	16	9	12	15	13	25	21	20	7	5	—	—	—	
	2. DISEASES OF ORGANS OF SPECIAL SENSE.....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. DISEASES OF CIRCULATORY SYSTEM.....	231	7	—	—	—	—	4	5	8	6	5	3	8	10	9	17	28	27	34	29	12	14	4	1	—	—	
	4. DISEASES OF RESPIRATORY SYSTEM	226	57	13	4	2	—	2	2	5	4	11	7	5	5	14	15	12	11	19	13	13	8	3	1	—	—	
	5. DISEASES OF DIGESTIVE SYS- TEM	205	95	13	—	—	1	3	2	6	8	4	3	2	4	4	10	7	15	8	10	5	1	3	1	—	—	
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	7. DISEASES OF URINARY SYS- TEM	117	—	2	—	—	—	1	2	1	—	7	3	7	6	8	9	9	14	12	14	10	10	2	—	—	—	
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) DISEASES OF PARTU- RITION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	9. DISEASES OF ORGANS OF LOCOMOTION	9	2	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	1	2	—	—	—	—	—	
	10. DISEASES OF INTEGUMENTARY SYSTEM	7	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	
VII.	1. ACCIDENT OR NEGLIGENCE.....	128	4	2	3	1	—	13	7	17	8	8	5	10	8	7	9	8	6	1	6	1	2	—	1	—	1	
	2. HOMICIDE	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. SUICIDE	39	—	—	—	—	—	—	—	3	1	2	4	5	1	6	8	3	4	—	2	—	—	—	—	—	—	
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	95	76	4	—	1	—	—	1	—	—	—	—	—	—	5	1	1	5	—	—	1	—	—	—	—	—	
I.	Miasmatic Diseases.																											
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Measles	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epidemic Rose Rash.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scarlet Fever	9	—	2	—	1	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Relapsing Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Whooping Cough	27	17	6	2	1	1	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	2	1	—	—	—	
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diphtheria	11	—	—	2	2	1	1	3	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	Cerebro-spinal Fever.....	5	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	Simple and Ill-defined Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Enteric Fever	34	1	—	1	—	—	2	—	1	9	6	3	2	2	3	2	—	1	—	1	—	—	—	—	—	—	
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhæal Diseases.																											
	Simple Cholera	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhæa, Dysentery.....	82	53	7	3	1	—	4	—	—	—	—	—	—	—	2	1	—	2	1	2	—	3	1	2	—	—	
	Malarial Diseases.																											
	Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Malarial Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—*continued*.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	ALL CAUSES.....	1,702	350	58	22	14	9	37	43	63	71	78	74	73	62	73	49	59	82	123	103	104	78	56	14	7	—
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES.....	204	69	21	7	3	—	11	8	9	13	9	12	8	3	6	3	—	6	4	3	4	1	3	—	1	—
II.	PARASITIC DISEASES.....	8	2	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	6	2	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES.....	374	10	3	2	1	2	10	11	30	35	36	32	25	27	27	16	27	22	17	23	11	3	2	1	1	—
V.	DEVELOPMENTAL DISEASES.....	188	45	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	9	16	32	32	33	10	4	—
VI.	LOCAL DISEASES.....	807	153	30	13	7	5	11	19	21	19	30	29	38	30	35	30	30	46	89	60	54	39	15	3	1	—
VII.	VIOLENCE.....	45	6	3	—	3	2	3	4	1	4	2	—	—	2	2	—	2	—	3	—	2	3	3	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	70	63	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
I.	1. MIASMATIC DISEASES.....	97	25	9	7	1	—	10	8	8	5	3	6	2	1	2	2	—	2	1	1	1	1	2	—	—	—
	2. DIARRHOEAL DISEASES.....	80	43	12	—	2	—	1	—	—	2	1	1	4	—	2	1	—	2	3	2	3	—	—	—	1	—
	3. MALARIAL DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES.....	27	1	—	—	—	—	—	—	1	6	5	5	2	2	2	—	—	2	—	—	—	1	—	—	—	—
II.	PARASITIC DISEASES.....	8	2	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES.....	6	2	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES.....	374	10	3	2	1	2	10	11	30	35	36	32	25	27	27	16	27	22	17	23	11	3	2	1	1	—
V.	DEVELOPMENTAL DISEASES.....	188	45	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	9	16	32	32	33	10	4	—
VI.	1. DISEASES OF NERVOUS SYS- TEM.....	151	20	8	3	2	3	2	6	4	3	4	3	6	5	8	6	1	8	16	15	13	10	3	2	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM.....	206	5	1	1	1	—	3	5	6	3	6	6	9	5	12	9	14	13	40	22	19	18	6	1	1	—
	4. DISEASES OF RESPIRATORY SYSTEM.....	163	42	8	6	—	2	1	2	5	2	5	5	6	4	4	4	6	9	15	15	15	4	3	—	—	—
	5. DISEASES OF DIGESTIVE SYS- TEM.....	196	83	13	3	3	—	4	4	1	6	6	6	4	7	5	6	5	9	12	7	4	5	3	—	—	—
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS.....	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYS- TEM.....	45	1	—	—	—	—	—	2	1	2	1	5	3	3	4	2	4	5	6	1	3	2	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...	10	—	—	—	—	—	—	—	—	—	4	—	3	2	—	—	—	1	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTU- RITION.....	21	—	—	—	—	—	—	—	1	3	4	4	7	2	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION.....	6	—	—	—	1	—	1	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM.....	5	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE ...	39	5	3	—	3	2	3	4	1	1	—	—	—	2	2	—	2	—	3	—	2	3	3	—	—	—
	2. HOMICIDE.....	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. SUICIDE.....	4	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. EXECUTION.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	70	63	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
I.	Miasmatic Diseases.																										
	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles.....	4	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever.....	10	—	2	2	—	—	2	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza.....	14	—	—	—	—	—	—	—	—	1	1	3	—	—	1	1	—	1	1	1	1	1	2	—	—	—
	Whooping Cough.....	33	24	4	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria.....	10	—	2	1	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever.....	3	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever.....	23	—	—	—	—	—	2	3	7	4	1	1	1	1	1	1	—	1	—	—	—	—	—	—	—	—
	Other Miasmatic Diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhoeal Diseases.																										
	Simple Cholera.....	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhoea, Dysentery.....	78	42	11	—	2	—	1	—	—	2	1	1	4	—	2	1	—	2	3	2	3	—	—	—	1	—
	Malarial Diseases.																										
	Remittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Malarial Diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—continued.

		MALES.																										
		Ages at Death.																										
Class.	Cause of Death.	All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
	<i>Zoogenous Diseases.</i>																											
	Hydrophobia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Glanders	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Splenic Fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cowpox and other Effects of Vaccination	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	<i>Venereal Diseases.</i>																											
	Syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Gonorrhœa, Stricture of Urethra	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	<i>Septic Diseases.</i>																											
	Phagedæna	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Erysipelas	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Pyæmia, Septicæmia	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Puerperal Fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
II.	<i>Parasitic Diseases.</i>																											
	Thrush	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Diseases from Vegetable Parasites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Hydatid Disease	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Diseases from Animal Parasites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
III.	<i>Dietic Diseases.</i>																											
	Starvation, Want of Breast Milk	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Scurvy	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Intemperance { Chronic Alcoholism Delirium Tremens	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
IV.	<i>Constitutional Diseases.</i>																											
	Rheumatic Fever, Rheumatism of Heart	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Rheumatism	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Gout	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Rickets	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cancer, Malignant Disease	133	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Tabes Mesenterica	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Tubercular Meningitis (Acute Hydrocephalus)	17	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Phthisis	146	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other forms of Tuberculosis, Scrofula	27	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Purpura, Hæmorrhagic Diathesis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Anæmia, Chlorosis, Leucocythæmia	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Diabetes Mellitus	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Constitutional Diseases	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
V.	<i>Developmental Diseases.</i>																											
	Premature Birth	72	72	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Atelectasis	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cyanosis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Spina Bifida	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Imperforate Anus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cleft Palate, Harelip	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Congenital Defects	6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Old Age	195	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
VI.	<i>Diseases of Nervous System.</i>																											
	Inflammation of Brain or its Membranes	31	8	3	1	2	1	2	4	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Apoplexy	66	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Softening of Brain	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Hemiplegia, Brain Paralysis	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Paralysis Undefined	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Paralysis Agitans	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Insanity, General Paralysis of Insane	37	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Chorea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Epilepsy	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Convulsions	40	35	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Laryngismus Stridulus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Idiopathic Tetanus	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Paraplegia, Disease of Spinal Cord	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	



No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—*continued.*

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
	<i>Zoogenous Diseases.</i>																											
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Venereal Diseases.</i>																											
	Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Septic Diseases.</i>																											
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Pyæmia, Septicæmia	3	1	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	—	—	1	—	—	—	
Puerperal Fever	18	—	—	—	—	—	—	—	—	1	5	5	4	2	1	—	—	—	1	—	—	—	—	—	—	—	—	
II.	<i>Parasitic Diseases.</i>																											
	Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Hydatid Disease	6	—	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	III.	<i>Dietic Diseases.</i>																										
Starvation, Want of Breast Milk		2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scurvy		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Intemperance { Chronic Alcoholism		3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—		
Intemperance { Delirium Tremens		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
IV.		<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart	10	—	—	—	—	—	3	4	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—		
	Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Cancer, Malignant Disease	128	—	—	—	—	—	—	—	1	1	3	1	3	17	14	8	20	14	12	20	9	1	2	1	1		
	Tabes Mesenterica	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Tubercular Meningitis (Acute Hydrocephalus)	23	6	3	2	—	2	4	1	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Phthisis	150	—	—	—	1	—	2	5	18	26	26	25	19	6	8	5	4	1	2	2	—	—	—	—	—		
	Other forms of Tuberculosis, Scrofula	24	3	—	—	—	—	—	1	2	5	5	2	1	—	4	—	1	—	—	—	—	—	—	—	—		
	Purpura, Hæmorrhagic Diathesis	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
	Anæmia, Chlorosis, Leucocythæmia	12	—	—	—	—	—	1	—	2	2	1	2	1	1	—	—	—	1	1	—	—	—	—	—	—		
	Diabetes Mellitus	15	—	—	—	—	—	—	—	1	—	—	—	—	2	1	2	2	3	2	—	1	1	—	—	—		
	Other Constitutional Diseases ..	5	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	3	3	—	—	—	—	—	—		
	V.	<i>Developmental Diseases.</i>																										
		Premature Birth	35	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		Atelectasis	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Imperforate Anus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cleft Palate, Harelip		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Congenital Defects		5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Old Age		142	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	9	16	32	32	33	10	4	—	
VI.		<i>Diseases of Nervous System.</i>																										
	Inflammation of Brain or its Membranes	17	1	4	1	1	3	1	2	1	1	1	1	—	—	—	—	—	6	8	12	7	6	2	2	—	—	
	Apoplexy	59	2	—	—	—	—	—	—	1	—	—	—	2	1	5	4	1	1	—	—	—	—	—	—	—	—	
	Softening of Brain	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Hemiplegia, Brain Paralysis	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Paralysis Undefined	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Insanity, General Paralysis of Insane	10	—	—	—	—	—	—	—	1	1	—	—	2	—	1	1	—	—	—	—	4	1	—	—	—	—	
	Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epilepsy	10	—	—	1	—	—	—	1	1	1	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Convulsions	21	15	3	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	Laryngismus Stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Idiopathic Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Paraplegia, Disease of Spinal Cord	8	1	1	—	—	—	1	1	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—continued.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and over.	Not Stated.
<i>Diseases of Nervous System—cont.</i>																											
	Other Diseases of Nervous System	26	4	2	—	—	—	1	1	—	3	1	1	2	2	2	—	1	2	2	1	1	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																											
	Otitis, Otorrhœa and Disease of Ear	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																											
	Endocarditis, Valvular Disease	28	—	—	—	—	—	1	2	—	3	1	1	2	—	2	—	2	4	4	3	1	2	—	—	—	—
	Pericarditis	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Syncope	9	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	178	5	—	—	—	—	2	2	7	2	2	2	6	10	5	14	25	20	25	24	11	11	4	1	—	—
<i>Diseases of Respiratory System.</i>																											
	Laryngitis	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis	67	27	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pneumonia	123	29	7	3	2	—	2	—	5	3	10	4	2	3	8	9	5	3	4	4	5	4	5	1	—	—
	Pleurisy	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Respiratory System	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																											
	Stomatitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	12	10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmatemesis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Melæna	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	14	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteritis	90	66	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulceration of Intestine	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Stricture, or Strangulation of Intestine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gallstones	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cirrhosis of Liver	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Liver	20	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Digestive System	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																											
	Diseases of Lymphatic System	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																											
	Acute Nephritis	21	—	2	—	—	—	1	1	—	—	4	1	2	—	3	2	2	1	—	—	—	—	—	—	—	—
	Bright's Disease	50	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Uræmia	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suppression of Urine	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	25	—	—	—	—	—	—	—																		

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—continued.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
<i>Diseases of Nervous System—cont.</i>																												
Other Diseases of Nervous System		8	—	—	—	—	—	—	2	—	—	1	—	—	2	1	—	—	—	—	1	—	1	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																												
Otitis, Otorrhœa and Disease of Ear		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epistaxis and Disease of Nose		1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ophthalmia and Disease of Eye		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																												
Endocarditis, Valvular Disease		26	—	—	1	—	—	2	3	2	1	1	1	2	1	1	1	1	1	5	2	—	1	—	—	—	—	—
Pericarditis		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hypertrophy of Heart		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Angina Pectoris		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syncope		10	1	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	3	1	—	—	—	—	—	—
Aneurism		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Senile Gangrene		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Embolism, Thrombosis		7	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	
Phlebitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Varicose Veins		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Circulatory System		156	4	1	—	1	—	—	2	3	1	5	5	7	2	10	8	9	12	30	17	18	14	6	1	—	—	
<i>Diseases of Respiratory System.</i>																												
Laryngitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup		2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emphysema, Asthma		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis		69	21	2	2	—	1	—	—	1	—	—	—	2	—	2	—	3	6	5	9	10	3	2	—	—	—	
Pneumonia		75	17	6	4	—	1	1	2	4	1	4	4	2	3	2	3	1	3	8	4	3	1	—	—	—	—	
Pleurisy		7	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	2	—	1	1	—	—	—	—	—	—	
Other Diseases of Respiratory System		5	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																												
Stomatitis		2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dentition		13	11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sore Throat, Quinsy		4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dyspepsia		6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmatemesis		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Melæna		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disease of Stomach		17	4	2	—	—	—	—	1	1	1	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis		87	55	9	3	3	—	1	1	—	—	—	2	—	1	1	1	2	4	3	—	—	—	—	—	—	—	—
Ulceration of Intestine		2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus, Obstruction of Intestine		10	2	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—
Stricture, or Strangulation of Intestine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception of Intestine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis		20	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gallstones		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of Liver		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Liver		14	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Digestive System		7	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																												
Diseases of Lymphatic System		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Spleen		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchocele		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																												
Acute Nephritis		7	1	—	—	—	—	—	1	—	1	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Bright's Disease		33	—	—	—	—	—	—	1	1	—	—	3	2	3	4	1	3	4	5	1	3	—	—	—	—	—	—
Uræmia		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suppression of Urine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calculus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—*continued*.

Class.	Cause of Death.	MALES.																			
		Ages at Death.																			
		All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75
VII.	<i>Diseases of Organs of Generation.</i>																				
	Ovarian Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																				
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Organs of Locomotion.</i>																				
	Caries, Necrosis	4	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—
	Arthritis, Osteitis, Periostitis	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
	<i>Diseases of Integumentary System.</i>																				
	Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Pemphigus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	3	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
VIII.	<i>Accident or Negligence.</i>																				
	Fracture and Contusion	52	—	—	—	—	—	6	2	6	4	2	2	3	6	4	5	4	1	1	3
	Gunshot Wounds ..	6	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	1	—	—
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	7	1	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat..	5	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	6	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	48	—	1	2	1	—	5	3	8	4	4	2	5	1	3	3	3	1	1	—
	Suffocation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	<i>Homicide.</i>																				
	Murder, Manslaughter.....	4	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
	Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Suicide.</i>																				
	Gunshot Wounds	18	—	—	—	—	—	—	—	3	1	1	2	3	1	2	4	—	1	—	—
	Cut, Stab	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
	Poison	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	Drowning	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging	10	—	—	—	—	—	—	—	—	1	2	—	—	—	1	3	—	2	—	—
	Otherwise	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	<i>Execution.</i>																				
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	<i>Ill-defined and not Specified Causes.</i>																				
	Dropsy	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	Debility, Atrophy, Inanition	77	72	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Sudden (cause unascertained) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	13	4	—	—	—	—	—	1	—	—	—	—	—	—	4	—	—	4	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1903—continued.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
	<i>Diseases of Organs of Generation.</i>																										
	Ovarian Disease	3	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina	0	—	—	—	—	—	—	—	—	2	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pelvic Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Perineal Abscess	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Parturition.</i>																										
	Abortion, Miscarriage	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions	4	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Placenta Prævia, Flooding	7	—	—	—	—	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Accidents of Childbirth	8	—	—	—	—	—	—	—	—	—	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Organs of Locomotion.</i>																										
	Caries, Necrosis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Arthritis, Ostitis, Periostitis	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases of Organs of Locomotion	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Diseases of Integumentary System.</i>																										
	Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	Phlegmon, Cellulitis	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Eczema	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Diseases of Integumentary System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VII.	<i>Accident or Negligence.</i>																										
	Fracture and Contusion	10	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Burn, Scald	9	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sunstroke, Heat-apoplexy, Heat	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—	—	
	Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Poison	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Drowning	9	—	1	—	1	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
	Suffocation	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Otherwise	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		<i>Homicide.</i>																									
		Murder, Manslaughter	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—				

No. 20.—RETURN showing the Deaths Registered in South Australia

Months.	Class.	Causes of Death.	Ages at Death.																									
			Total.	Months.								Years.																
				0-1		1-3		3-6		6-12		Under 1 Year.		1-		2-		3-		4-		5-		10-				
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
January	Total.....	191	156	347	14	8	—	8	12	11	20	12	46	39	9	10	1	1	2	3	—	3	2	3	6	4	
	I.	Zymotic diseases	21	24	45	—	1	—	2	4	4	7	3	11	10	2	5	1	—	1	1	—	—	—	—	1	—	1
	II.	Parasitic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	2	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	33	39	72	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	1	1	—	—
	V.	Developmental diseases ...	14	14	28	4	2	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	89	64	153	4	—	—	4	7	4	11	7	22	15	6	4	—	1	1	2	—	2	—	—	3	3	
	VII.	Violence	21	5	26	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	2	1	2	—	—
	VIII.	Ill-defined or not specified causes	10	10	20	6	4	—	2	—	2	2	2	8	10	—	—	—	—	—	—	—	—	—	—	—	—	—
February...	...	Total.....	185	123	308	7	4	7	8	9	6	25	5	48	23	9	9	2	2	1	—	—	1	5	2	3	3	
	I.	Zymotic diseases	21	11	32	—	—	—	1	5	1	5	1	10	3	3	2	2	1	1	—	—	—	1	—	1	—	—
	II.	Parasitic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	IV.	Constitutional diseases ...	24	34	58	—	—	—	—	—	2	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	2
	V.	Developmental diseases ...	15	8	23	2	2	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	106	62	168	2	1	6	6	4	1	17	4	29	12	5	7	—	—	—	—	—	—	1	—	1	—	—
	VII.	Violence	12	2	14	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	3	1	—	1	—
	VIII.	Ill-defined or not specified causes	7	4	11	3	1	1	1	—	2	1	—	5	4	1	—	—	—	—	—	—	—	—	—	1	—	—
March	Total	169	148	317	13	11	9	12	9	7	12	12	43	42	4	3	2	2	2	2	1	—	—	3	2	5	
	I.	Zymotic diseases	18	25	43	1	3	1	3	3	1	4	5	9	12	1	1	1	—	—	—	—	—	—	1	—	3	
	II.	Parasitic diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	21	29	50	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—
	V.	Developmental diseases ...	27	12	39	6	2	4	3	—	—	—	1	10	6	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	71	72	143	5	4	3	2	4	4	6	5	18	15	2	2	—	2	1	2	—	—	—	1	1	2	
	VII.	Violence	24	1	25	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
	VIII.	Ill-defined or not specified causes	6	8	14	—	2	1	4	2	1	2	1	5	8	1	—	—	—	—	—	—	—	—	—	—	—	—
April.....	...	Total.....	191	129	320	24	8	13	3	9	5	11	7	57	23	4	3	1	1	1	1	—	—	4	2	5	2	
	I.	Zymotic diseases	17	14	31	—	—	1	—	3	2	1	2	5	4	—	3	—	—	1	—	—	—	3	—	1	—	
	II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	24	32	56	—	—	1	—	1	1	—	—	2	1	1	—	—	—	—	—	—	—	—	1	1	2	
	V	Developmental diseases ...	33	16	49	14	3	1	—	—	—	—	—	15	3	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	96	58	154	8	4	4	3	3	1	10	3	25	11	3	—	1	1	—	1	—	—	1	1	2	—	
	VII.	Violence	8	3	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	VIII.	Ill-defined or not specified causes	11	6	17	2	1	6	—	2	1	—	2	10	4	—	—	—	—	—	—	—	—	—	—	—	—	
May	Total.....	150	126	276	10	13	3	5	6	7	7	5	26	30	6	4	1	1	2	—	1	—	—	5	4	5	
	I.	Zymotic diseases	15	15	30	1	1	—	1	—	2	3	—	4	4	3	2	—	1	1	—	—	—	—	3	—	—	
	II.	Parasitic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	III.	Dietic diseases	2	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	28	28	56	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	2	1	
	V.	Developmental diseases ...	15	18	33	3	8	—	1	—	—	—	—	3	9	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	73	51	124	4	2	2	1	4	3	1	4	11	10	3	2	1	—	—	1	—	—	—	1	1	3	
	VII.	Violence	9	7	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	
	V III.	Ill-defined or not specified causes	8	7	15	2	2	—	2	1	2	2	1	5	7	—	—	—	—	—	—	—	—	—	—	—	—	
June	Total.....	191	153	344	25	6	9	6	12	5	3	7	49	24	5	3	2	3	2	1	1	2	5	—	2	6	
	I.	Zymotic diseases	18	14	32	—	1	2	1	6	1	1	1	9	4	—	—	2	1	—	—	1	—	1	—	—	2	
	II.	Parasitic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	III.	Dietic diseases	1	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	32	33	65	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	1	
	V.	Developmental diseases ...	29	19	48	15	1	1	—	1	1	—	—	17	2	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	89	77	166	6	4	4	2	4	2	2	3	16	11	4	2	—	2	1	—	—	2	2	—	2	1	
	VII.	Violence	13	5	18	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	
	VIII.	Ill-defined or not specified cauess	9	4	13	4	—	2	1	1	—	—	3	7	4	1	—	—	—	1	—	—	—	—	—	—	—	

(exclusive of the Northern Territory) in each Month of the Year 1903.

Ages at Death.

Years.

15--		20--		25--		30--		35--		40--		45--		50--		55--		60--		65--		70--		75--		80--		85--		90--		95 and Over.		Not Stated.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
9	12	4	5	6	5	6	7	17	8	6	5	9	3	15	3	7	6	11	7	7	9	5	7	8	8	12	5	2	1	1	1	—	1	—	—	
—	2	1	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	4	1	5	1	2	3	4	6	3	1	3	4	2	4	—	3	4	3	1	2	2	—	4	1	1	1	—	—	—	—	—	—	1	—	—	—
7	6	2	—	2	1	1	3	3	4	4	1	3	1	8	3	3	2	6	3	5	6	3	1	4	3	6	3	—	—	—	—	—	—	—	—	
1	—	—	—	1	—	2	—	7	—	—	1	1	—	2	—	1	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	5	9	1	5	9	2	10	5	5	8	3	6	4	8	8	13	1	14	5	12	9	10	8	8	9	7	2	9	4	—	—	—	—	—	—	
—	1	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	2	—	1	5	1	2	1	2	1	3	2	2	2	3	3	1	2	2	4	2	3	2	2	1	—	—	—	1	—	—	—	—	—	—	
1	2	2	1	3	4	1	4	4	3	5	—	4	2	5	5	10	—	12	3	7	7	7	6	4	4	2	1	3	1	—	—	—	—	—	—	
—	—	2	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	4	10	7	7	7	2	5	6	7	5	4	6	6	5	3	7	2	8	7	14	15	12	9	10	8	6	1	8	4	3	1	—	1	—	—	
—	—	1	1	1	1	—	1	1	1	—	1	—	—	—	—	—	—	—	2	1	—	2	—	—	1	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	3	3	3	—	1	—	1	3	2	1	1	3	4	1	2	1	2	2	2	3	3	—	2	1	2	—	—	—	—	—	—	—	—	—	—	
2	1	4	3	3	5	1	3	1	4	1	2	3	2	1	1	5	—	5	3	10	10	6	7	3	4	3	—	1	3	—	—	—	—	—		
4	—	2	—	2	—	1	—	1	—	2	—	—	—	3	—	1	—	1	—	—	1	3	—	1	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	4	4	5	4	8	4	4	9	4	6	5	5	4	7	4	11	5	7	10	16	13	9	9	12	10	13	7	9	5	1	—	—	—	—		
—	2	1	2	2	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	1	4	2	2	2	1	2	3	1	2	2	1	4	4	1	4	4	1	—	2	—	2	—	—	1	—	—	—	—	—	—	—	
1	1	2	1	1	3	—	2	6	2	4	2	1	2	5	3	6	1	4	5	9	9	9	4	9	5	6	4	1	—	—	—	—	—	—		
1	—	1	1	—	1	1	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	6	4	9	3	5	5	6	7	5	7	6	9	2	5	3	10	5	11	2	11	8	9	7	15	8	4	2	2	3	3	4	—	—	—	—	
—	2	1	1	—	1	2	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	3	1	5	—	2	1	5	—	1	1	1	1	1	1	2	6	3	2	1	1	—	—	2	4	—	2	—	—	—	—	—	—	—	—	—	
—	—	2	2	2	1	2	1	4	4	6	5	3	—	3	1	3	1	5	1	9	7	6	4	8	5	1	1	1	1	2	1	—	—	—		
1	1	—	1	1	1	—	—	1	—	—	—	1	1	—	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	7	8	7	7	5	9	10	7	7	7	3	7	4	12	5	11	3	7	7	16	15	11	9	8	7	5	16	3	5	—	3	—	1	1	—	
—	1	2	2	1	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	4	2	4	1	4	5	4	3	2	2	2	1	1	6	—	2	1	—	1	6	1	2	1	—	2	—	1	—	—	—	1	—	—	—	—	
2	2	4	1	3	1	4	6	2	4	4	1	5	2	4	4	7	2	6	6	10	11	7	7	4	3	1	8	1	1	—	—	—	—	—		
3	—	—	—	2	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

			Ages at Death.																								
Months.	Class.	Causes of Death.	Totals.			Months.								Years.													
						0-1		1-3		3-6		6-12		Under 1 Year.		1-		2-		3-		4-		5-		10-	
			M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
July	Total	220	177	397	8	15	9	4	2	7	8	7	27	33	4	4	1	1	1	2	1	1	8	7	9	4
	I.	Zymotic diseases.....	12	13	25	—	—	1	1	—	—	1	1	2	2	2	—	—	—	—	1	—	—	2	3	1	—
	II.	Parasitic diseases.....	—	2	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	45	26	71	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	1	—	1	1	4	—
	V.	Developmental diseases ...	24	26	50	3	6	—	—	—	—	—	—	3	6	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	109	98	207	1	5	5	2	—	5	6	4	12	16	1	3	—	1	1	—	—	—	3	3	3	3
	VII.	Violence	19	8	27	—	3	—	—	—	—	—	—	—	3	—	1	1	—	—	1	—	1	2	—	1	—
	VIII.	Ill-defined or not specified causes	11	4	15	4	1	3	—	2	1	1	2	10	4	—	—	—	—	—	—	—	—	—	—	—	—
August...	Total	169	138	307	17	12	6	3	2	3	4	1	29	19	4	2	1	2	—	1	—	—	6	1	2	3
	I.	Zymotic diseases.....	11	8	19	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	1	—
	II.	Parasitic diseases.....	1	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	31	24	55	—	—	1	—	—	—	1	—	2	—	1	1	—	—	—	—	—	—	3	—	1	1
	V.	Developmental diseases ...	30	22	52	7	3	—	—	—	—	—	—	7	3	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	80	74	154	7	4	3	2	1	3	2	1	13	10	1	1	1	1	—	—	—	—	1	1	—	2
	VII.	Violence	7	3	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—
	VIII.	Ill-defined or not specified causes	8	6	14	1	5	2	—	1	—	1	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—
September	Total	171	134	305	17	5	5	8	6	8	5	4	33	25	3	3	3	1	3	1	2	1	5	1	6	2
	I.	Zymotic diseases	13	21	34	—	—	—	1	1	5	1	1	2	7	1	—	1	1	3	—	1	—	2	—	—	—
	II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	34	31	65	—	—	1	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	3	1	
	V.	Developmental diseases ...	19	21	40	5	2	—	—	—	—	—	—	5	2	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	82	51	133	8	2	4	5	4	2	2	3	18	12	1	2	1	—	—	1	—	—	1	—	2	1
	VII.	Violence	15	5	20	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	—	1	—	
	VIII.	Ill-defined or not specified causes	7	4	11	4	—	—	2	1	1	1	—	6	3	1	—	—	—	—	—	—	—	—	—	—	—
October;	Total	119	109	228	3	5	2	5	5	5	3	3	13	18	4	3	1	1	—	1	1	—	4	6	2	5
	I.	Zymotic diseases	8	11	19	—	—	—	3	2	1	—	1	2	5	1	2	—	—	—	—	—	—	2	2	—	—
	II.	Parasitic diseases	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	25	31	56	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	2	1	2
	V.	Developmental diseases ...	14	10	24	2	3	—	1	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	53	52	105	—	1	2	1	2	4	3	2	7	8	1	—	—	1	—	—	1	—	1	2	1	2
	VII.	Violence	16	—	16	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
	VIII.	Ill-defined or not specified causes	3	3	6	1	1	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
November	Total	156	153	309	14	5	3	4	5	9	6	10	28	28	5	8	2	3	—	1	—	—	3	5	3	2
	I.	Zymotic diseases	8	25	33	—	—	—	2	3	4	1	4	4	10	1	5	—	1	—	—	—	—	—	1	—	—
	II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	2	2	4	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	30	31	61	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—
	V.	Developmental diseases ...	24	9	33	8	1	—	—	—	—	—	—	8	1	—	1	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	76	77	153	5	2	1	1	2	5	5	13	10	4	2	2	2	—	—	—	—	—	1	2	1	2
	VII.	Violence	12	3	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
	VIII.	Ill-defined or not specified causes	3	6	9	1	2	1	1	1	1	—	1	3	5	—	—	—	—	—	—	—	—	—	—	—	—
December	Total	259	156	415	19	10	8	5	15	15	29	16	71	46	7	6	2	4	—	1	1	1	4	2	5	2
	I.	Zymotic diseases	35	23	58	1	—	4	1	7	3	9	4	21	8	1	1	1	1	—	—	—	—	1	—	—	2
	II.	Parasitic diseases	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	41	36	77	—	1	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	2	1	—
	V.	Developmental diseases ...	39	13	52	10	5	1	—	—	—	1	—	12	5	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	116	71	187	3	3	3	3	5	7	16	10	27	23	5	5	—	2	—	—	1	1	3	—	3	—
	VII.	Violence	15	3	18	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—
	VIII.	Ill-defined or not specified causes	12	8	20	4	—	—	1	3	5	3	2	10	8	—	—	—	—	—	—	—	—	—	—	—	—

Years.

No.

Ages at Death.

No.

				Deaths.																		
				Ages at Death.																		
Months.	Births.			Class.	Causes of Death.	Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—	
	M.	F.	Total			M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July	36	34	70		Total ...	51	33	84	2	3	—	—	—	—	—	—	—	—	2	2	2	1
				I.	Zymotic diseases.....	1	3	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	11	6	17	—	—	—	—	—	—	—	—	—	1	—	—	1	1
				V.	Developmental diseases	5	3	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	30	20	50	—	2	—	—	—	—	—	—	—	—	2	—	—	1
				VII.	Violence	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
August.....	34	32	66		Total	42	31	73	5	2	—	—	—	—	—	—	—	—	1	—	—	3
				I.	Zymotic diseases.....	3	4	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	7	17	—	—	—	—	—	—	—	—	—	—	1	—	—	1
				V.	Developmental diseases	8	1	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	16	19	35	—	2	—	—	—	—	—	—	—	—	—	—	—	2
				VII.	Violence.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
September..	57	42	99		Total	54	21	75	5	—	1	1	2	—	—	—	—	—	1	—	4	3
				I.	Zymotic diseases.....	3	3	6	1	—	—	—	—	—	—	—	—	—	1	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	14	8	22	—	—	1	1	—	—	—	—	—	—	—	—	3	1
				V.	Developmental diseases	5	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	26	8	34	2	—	1	—	1	—	—	—	—	—	—	1	2	
				VII.	Violence	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
October ...	28	35	63		Total	24	21	45	1	3	2	—	—	—	—	—	—	1	—	—	1	1
				I.	Zymotic diseases.....	2	2	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	7	5	12	—	—	1	—	—	—	—	—	—	1	—	—	1	—
				V.	Developmental diseases	2	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	10	12	22	—	2	1	—	—	—	—	—	—	—	—	—	—	1
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
November	35	36	71		Total	37	32	69	4	6	—	—	—	—	—	—	—	—	—	—	1	—
				I.	Zymotic diseases.....	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	9	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	6	2	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	16	16	32	2	2	—	—	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
December..	45	45	90		Total	56	35	91	10	10	1	2	—	—	—	—	—	—	—	1	—	—
				I.	Zymotic diseases.....	4	2	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	13	9	22	—	—	1	—	—	—	—	—	—	—	—	1	—	—
				V.	Developmental diseases	10	1	11	2	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	27	19	46	3	7	—	2	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—

Public Institutions) Registered in the City of Adelaide in each Month of the Year 1903—continued.

Deaths.

Ages at Death.

No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1898-1903.

Years	1898.	1899.	1900.	1901.	1902.	1903.											
Population, Mean	38,855	38,995	39,135	39,275	39,415	39,555											
Births	986	1,093	1,022	938	956	Total, 876—Males, 461; females, 415.											
Rate per 1,000 of population	25.38	28.03	26.12	23.88	24.25	22.15											
Deaths—						All Ages.			Under 1 Year.	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	
						Total.	M.	F.									
						All causes	1,040	944	795	881	939	845	487	358	128	24	59
Rate per 1,000 of population	26.77	24.21	20.31	22.43	23.82	21.36	—	—	—	—	—	—	—	—	—	—	
Diseases—																	
I. Specific Febrile or Zymotic	150	148	74	86	128	54	28	26	9	2	7	23	5	8	—	—	
II. Parasitic	5	4	7	5	7	3	1	2	—	—	—	1	2	—	—	—	
III. Dietic	10	4	4	9	12	6	2	4	3	—	—	2	1	—	—	—	
IV. Constitutional	177	195	167	183	192	201	109	92	2	8	23	55	64	47	2	—	
V. Developmental	122	98	72	81	117	87	62	25	19	—	—	—	—	40	28	—	
VI. Local	423	411	373	433	405	427	241	186	62	14	24	71	111	128	17	—	
VII. Violence	63	35	56	47	44	35	28	7	2	—	4	14	11	2	2	—	
VIII. Ill-defined and not specified causes ..	90	49	42	37	34	32	16	16	31	—	1	—	—	—	—	—	

Causes of Deaths Registered in the Year ended December 31st, 1903.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Serofula, tuberculosis	—	13	Accidents of childbirth	—	2
Measles	—	—	Other constitutional diseases.	—	12	Diseases of locomotive system	—	6
Scarlet fever	—	1				Diseases of integumentary system	—	2
Relapsing fever	—	—	V.					
Influenza	—	—	Premature birth	12	—	VII.		
Whooping-cough	2	—	Cyanosis	—	—	(Accident.)		
Diphtheria	—	3	Congenital defects	7	—	Fracture and contusion	—	10
Simple and ill-defined fever..	—	—	Old age	—	68	Gunshot wound	—	—
Enteric fever	—	12				Cut, stab	—	—
Simple cholera	—	—	VI.			Burn and scald	—	2
Diarrhoea, dysentery	6	12	Apoplexy	1	23	Poison	—	1
Remittent fever	—	—	Epilepsy	—	2	Drowning	—	4
Venereal affections	1	2	Convulsions	9	1	Suffocation	2	—
Erysipelas	—	3	Other diseases of brain and nervous system	2	37	Otherwise	—	1
Pyæmia, septicæmia	—	1	Diseases of organs of special sense	—	—	(Homicide.)		
Puerperal fever	—	9	Diseases of circulatory system	2	103	Murder and manslaughter ..	—	2
Other zymotic diseases	—	2	Croup	—	—	(Suicide.)		
II.			Bronchitis	7	16	Gunshot wound	—	9
Thrush	—	—	Pneumonia	6	37	Cut, stab	—	—
Worms and other parasitical diseases	—	3	Pleurisy	—	4	Poison	—	1
III.			Other diseases of respiratory system	—	6	Drowning	—	1
Privation, want of breast milk	3	—	Dentition	3	—	Hanging	—	1
Alcoholism	—	3	Quinsy, sore throat	1	—	Otherwise	—	1
IV.			Enteritis	27	14	VIII.		
Rheumatic fever and rheumatism of heart	—	5	Peritonitis	1	16	Dropsy	—	—
Rheumatism	—	2	Diseases of liver	1	13	Debility, atrophy, inanition.	31	—
Gout	—	—	Other diseases of digestive system	2	21	Mortification	—	—
Cancer, malignant disease ..	—	71	Diseases of lymphatic system and of ductless glands....	—	—	Tumor	—	—
Tabes mesenterica	—	—	Diseases of urinary system..	—	56	Abscess	—	—
Tubercular meningitis	2	14	Diseases of generative system	—	6	Hæmorrhage	—	—
Phthisis	—	82				Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	1

No. 23.—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions* of persons not usually resident in the city) in the Year ended December 31st, 1903.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres.....	3,778	608	627	567	727	612	637
Estimated mean population.....	39,555	6,147	6,225	8,475	10,003	3,735	4,970
Persons to an acre.....	10.5	10.1	10.0	14.9	13.8	6.1	7.8
Births.....	876	136	124	203	258	69	86
Male.....	461	70	62	113	130	43	43
Female.....	415	66	62	90	128	26	43
Deaths.....	636	179	73	94	146	58	86
Male.....	363	129	44	49	73	26	42
Female.....	273	50	29	45	73	32	44
CLASSES.							
I. Specific febrile or zymotic diseases.....	34	7	3	3	11	5	5
II. Parasitic diseases.....	1	—	—	—	—	1	—
III. Dietic diseases.....	6	—	1	1	4	—	—
IV. Constitutional diseases.....	155	40	21	19	35	11	29
V. Developmental diseases.....	80	42	4	11	13	5	5
VI. Local diseases.....	303	80	30	51	67	33	42
VII. Violence.....	27	7	7	5	6	1	1
VIII. Ill-defined and not specified causes.....	30	3	7	4	10	2	4
Rate per 1,000 of mean population of each ward.....	16.08	29.12	11.73	11.09	14.60	15.53	17.30

* The Destitute Asylum (including the Lying-in Department), and the Adelaide Hospital.

Causes of Deaths Registered in the Year ended December 31st, 1903.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases.	—	9	Diseases of locomotive system.....	—	2
Measles.....	—	—	V.			Diseases of integumentary system.....	—	2
Scarlet fever.....	—	1	Premature birth.....	12	—			
Relapsing fever.....	—	—	Cyanosis.....	—	—	VII.		
Influenza.....	—	—	Congenital defects.....	7	—	(Accident.)		
Whooping-cough.....	2	—	Old age.....	—	61	Fracture and contusion....	—	8
Diphtheria.....	—	3	VI.			Gunshot wound.....	—	—
Simple and ill-defined fever..	—	—	Apoplexy.....	1	18	Cut, stab.....	—	—
Enteric fever.....	—	7	Epilepsy.....	—	1	Burn and scald.....	—	—
Simple cholera.....	—	—	Convulsions.....	9	1	Poison.....	—	1
Diarrhœa, dysentery.....	6	7	Other diseases of brain and nervous system.....	2	25	Drowning.....	—	4
Remittent fever.....	—	—	Diseases of organs of special sense.....	—	—	Suffocation.....	2	—
Venereal affections.....	1	—	Diseases of circulatory system.....	2	69	Otherwise.....	—	—
Erysipelas.....	—	1	Croup.....	—	—	(Homicide.)		
Pyæmia and septicæmia....	—	1	Bronchitis.....	7	12	Murder and manslaughter..	—	1
Puerperal fever.....	—	4	Pneumonia.....	6	23	(Suicide.)		
Other zymotic diseases.....	—	1	Pleurisy.....	—	3	Gunshot wound.....	—	8
II.			Other diseases of respiratory system.....	—	5	Cut, Stab.....	—	—
Thrush.....	—	—	Dentition.....	3	—	Poison.....	—	—
Worms and other parasitical diseases.....	—	1	Quinsy, sore throat.....	1	—	Drowning.....	—	1
III.			Enteritis.....	27	11	Hanging.....	—	1
Privation—want of breast milk	3	—	Peritonitis.....	1	7	Otherwise.....	—	1
Alcoholism.....	—	3	Diseases of liver.....	1	9	VIII.		
IV.			Other diseases of digestive system.....	2	12	Dropsy.....	—	—
Rheumatic fever and rheumatism of heart.....	—	4	Diseases of lymphatic system and of ductless glands..	—	—	Debility, atrophy, inanition.	30	—
Rheumatism.....	—	2	Diseases of urinary system..	—	38	Mortification.....	—	—
Gout.....	—	—	Diseases of generative system.....	—	3	Tumor.....	—	—
Cancer, Malignant Disease..	—	53	Accidents of childbirth....	—	—	Abscess.....	—	—
Tabes Mesenterica.....	—	—				Hæmorrhage.....	—	—
Tubercular Meningitis.....	2	13				Sudden, cause unascertained.	—	—
Phthisis.....	—	66				Other ill-defined and not specified causes.....	—	—
Scrofula, Tuberculosis.....	—	6						

40

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1898-1903.

Years	1898.	1899.	1900.	1901.	1902.	1903.											
*Population, Mean	346,854	351,658	354,268	357,556	359,968	361,724											
Births	8,945	9,397	9,143	9,079	8,927	Total, 8,475—Males, 4,464; females, 4,011											
Rate per 1,000 of population	25.79	26.72	25.81	25.39	24.80	23.43											
Deaths—						All Ages.			Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	
						Total.	M.	F.									
All causes.....	4,675	4,406	3,774	3,974	4,236	3,873	2,171	1,702	820	208	296	583	650	983	332	1	
Rate per 1,000 of population	13.48	12.53	10.65	11.11	11.77	10.71	—	—	—	—	—	—	—	—	—	—	
DISEASES.																	
I. Specific Febrile or Zymotic	772	777	423	446	643	401	197	204	149	64	47	72	29	29	11	—	
II. Parasitic	7	12	14	8	14	17	9	8	3	—	3	5	4	2	—	—	
III. Dietic	42	23	18	33	19	14	8	6	5	—	1	2	4	2	—	—	
IV. Constitutional	663	683	662	686	710	742	368	374	17	21	84	224	205	176	15	—	
V. Developmental.....	541	482	413	403	520	471	283	188	133	1	—	—	—	159	178	—	
VI. Local.....	2,006	1,898	1,796	1,949	1,914	1,847	1,040	807	364	103	110	227	345	580	118	—	
VII. Violence	318	288	240	240	222	216	171	45	10	14	48	52	56	25	10	1	
VIII. Ill-defined and not specified causes ..	326	243	208	209	194	165	95	70	139	5	3	1	7	10	—	—	

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese) and also of the number of the aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1903.

Corporate Towns.	Estimated Mean Population.	Registered during Year.			The Deaths Registered in the Year include Deaths from—										Birth and Death Rates per 1,000 living.	
		Births.	Deaths.		Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhea and Dysentery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Births.	Deaths.	
			Total	Under One Year.												
Adelaide	39,555	876	845	128	—	1	3	2	12	18	76	82	105	22.15	21.36	
Hindmarsh	10,455	265	92	32	—	—	—	3	—	2	11	13	9	25.35	8.80	
Thebarton	5,637	161	56	20	—	—	1	2	—	4	9	8	2	28.56	9.93	
Port Adelaide	20,753	475	197	57	—	—	—	8	2	10	20	15	17	22.89	9.49	
Glenelg	4,017	74	31	5	—	—	—	—	—	6	—	3	5	18.42	7.72	
Brighton	1,128	22	7	1	—	—	—	—	1	—	1	—	2	19.50	6.21	
Unley	19,664	475	189	50	—	1	3	3	—	4	14	12	29	24.16	9.61	
St. Peters	8,032	169	57	12	—	—	—	1	—	3	4	9	7	21.04	7.10	
Kensington and Norwood....	12,753	257	143	36	—	1	—	2	1	7	8	15	23	20.15	11.21	
Gawler	1,967	41	28	11	—	—	—	—	1	5	1	2	3	20.84	14.23	
Kapunda	1,774	44	24	5	—	—	—	—	—	1	—	3	4	24.80	13.53	
Burra	1,954	63	33	3	—	—	—	2	1	—	6	1	2	32.24	16.89	
Clare	755	29	11	—	—	—	—	—	1	1	2	1	2	38.41	14.57	
Jamestown	971	52	34	7	—	—	—	1	4	1	7	—	4	53.55	35.02	
Port Augusta	941	23	12	3	—	—	—	—	—	—	—	1	2	24.44	12.75	
Port Pirie	8,879	277	107	34	—	3	—	2	8	9	12	5	7	31.20	12.05	
Kadina	1,791	84	18	7	—	—	—	—	—	—	2	1	2	46.90	10.05	
Moonta	1,634	65	20	3	—	—	1	—	1	—	2	2	2	39.78	12.24	
Wallaroo	3,198	100	47	13	—	—	—	1	2	3	6	4	11	31.27	14.70	
Goolwa	576	13	8	3	—	—	—	2	—	—	—	—	—	22.57	13.89	
Strathalbyn	882	25	20	1	—	—	2	1	—	—	2	—	1	28.34	22.68	
Mount Gambier	3,277	130	55	11	1	—	—	2	—	5	10	1	4	39.67	16.78	
Petersburg	2,403	75	14	6	—	—	—	2	—	—	2	2	2	31.21	5.83	

No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in South Australia (exclusive of the Northern Territory) from each Cause in 1903, arranged in Order of Fatality, and each corresponding Number in 1902.

Order of Fatality.	Causes of Death.	1903.			1902.	Order of Fatality.	Causes of Death.	1903.			1902.
		Total.	Under 5 years.	5 years and above.				Total.	Under 5 years.	5 years and above.	
1	Old age	337	—	337	383		Softening of brain	7	—	7	3
2	Diseases of circulatory system not separately classed	334	11	323	372		Placenta prævia, flooding	7	—	7	5
3	Phthisis	296	3	293	292	43	Caries, necrosis	7	—	7	11
4	Cancer, malignant disease	261	1	260	267		Sunstroke, heat-apoplexy, heat	7	1	6	5
5	Pneumonia	198	69	129	213		Poisoning (suicidal)	7	—	7	9
6	Enteritis	177	145	32	186		Pyæmia, septicæmia	7	3	4	9
7	Diarrhœa, dysentery	160	119	41	150		Simple cholera	6	6	—	1
8	Debility, atrophy, inanition	137	137	—	175	44	Sore throat, quinsy	6	3	3	1
9	Bronchitis	136	57	79	112		Diseases of uterus and vagina	6	—	6	5
10	Apoplexy	125	2	123	125		Murder, manslaughter	6	1	5	4
11	Premature birth	107	107	—	108		Gunshot wounds (accidental)	6	—	6	3
12	Bright's disease	83	—	83	76		Chronic alcoholism	5	—	5	6
13	Fracture and contusion (accidental) ..	62	1	61	76		Rheumatism (except of heart and rheumatic fever)	5	—	5	4
14	Convulsions (except puerperal)	61	59	2	73		Purpura, hæmorrhagic diathesis	5	1	4	8
15	Whooping cough	60	60	—	36	45	Constitutional diseases not separately classed	5	—	5	5
16	Drowning (accidental)	57	6	51	27		Aneurism	5	—	5	9
17	Enteric fever	57	2	55	89		Ulceration of intestine	5	—	5	7
18	Endocarditis, valvular disease of heart	54	1	53	54		Gallstones	5	—	5	11
	Forms of tuberculosis not separately classed	51	9	42	47		Measles	5	3	2	235
19	Inflammation of the brain or its membranes	48	24	24	66		Spina bifida	4	4	—	3
20	Insanity, general paralysis of insane	47	—	47	30		Idiopathic tetanus	4	2	2	7
21	Tubercular meningitis (acute hydrocephalus)	40	21	19	30		Pericarditis	4	—	4	3
	Diseases of the nervous system not separately classed	34	6	28	24	46	Angina pectoris	4	—	4	7
22	Diseases of liver (except cirrhosis and gallstones)	34	10	24	33		Senile gangrene	4	—	4	3
23	Peritonitis (except puerperal and tubercular)	32	3	29	25		Croup (except membranous)	4	4	—	8
24	Disease of stomach	31	10	21	30		Hæmatemesis	4	—	4	2
25	Diabetes mellitus	31	—	31	21		Intussusception of intestine	4	2	2	4
26	Acute nephritis	28	3	25	15		Puerperal convulsions	4	—	4	4
27	Diseases of bladder and prostate	26	—	26	20		Arthritis, osteitis, periostitis	4	3	1	3
28	Dentition	25	25	—	32		Diseases of organs of locomotion not separately classed	4	—	4	5
29	Influenza	24	—	24	41		Dropsy undefined or ill-defined	4	—	4	2
30	Rheumatic fever, rheumatism of heart	23	—	23	15		Drowning (suicidal)	4	—	4	1
	Paraplegia, disease of spinal cord	21	2	19	19	47	Thrush	3	3	—	1
31	Cirrhosis of liver	21	—	21	21		Cleft palate, harelip	3	3	—	—
	Diphtheria	21	8	13	27		Stomatitis	3	3	—	3
	Pleurisy	20	—	20	14		Ovarian disease	3	—	3	1
32	Ill-defined and unspecified causes not separately classed	20	5	15	13		Diseases of integumentary system not separately classed	3	1	2	1
	Scarlet fever	19	7	12	—		Phlegmon, cellulitis	3	1	2	2
33	Anæmia, chlorosis, leucocythæmia ..	19	1	18	14		Carbuncle	3	—	3	6
	Syncope	19	3	16	10		Suffocation (accidental)	3	2	1	9
34	Ileus, obstruction of intestine	18	3	15	20		Gonorrhœa, stricture of urethra	2	—	2	3
35	Puerperal fever	18	—	18	11		Gout	2	—	2	1
36	Gunshot wounds (suicidal)	18	—	18	11	48	Rickets	2	1	1	1
	Epilepsy	17	1	16	19		Tabes mesenterica	2	1	1	5
	Burn, scald (accidental)	16	6	10	36		Laryngitis	2	1	1	8
	Diseases of respiratory system not separately classed	15	3	12	20		Ascites	2	—	2	2
	Hydatid disease	14	—	14	13		Bronchocele	2	—	2	1
37	Hemiplegia, brain paralysis	14	—	14	19		Suppression of urine	2	—	2	—
	Paralysis undefined or not separately classed	14	—	14	21		Urinary calculus	2	—	2	6
	Emphysema, asthma	14	—	14	13		Eczema	2	1	1	2
38	Hæmaturia	14	—	14	10		Cut, stab (suicidal)	2	—	2	8
	Erysipelas	12	2	10	8		Suicides not separately classed	2	—	2	1
	Embolism, thrombosis	12	—	12	19		Mortification undefined or ill-defined	2	1	1	—
39	Diseases of urinary system not separately classed	12	—	12	13		Syphilis	1	—	1	7
	Congenital defects not separately classed	11	11	—	21	49	Addison's disease	1	—	1	7
40	Hanging (suicidal)	10	—	10	5		Otitis, otorrhœa, and disease of ear ..	1	—	1	5
	Atelectasis	9	9	—	4		Abortion, miscarriage	1	—	1	3
	Dyspepsia	9	4	5	5		Hypertrophy of heart	1	—	1	2
41	Diseases of digestive system not separately classed	9	2	7	11		Hæmorrhage undefined or ill-defined	1	—	1	2
	Uræmia	9	—	9	17		Diseases of lymphatic system	1	—	1	1
	Starvation, want of breast milk	8	5	3	12		Pelvic abscess	1	—	1	1
	Accidents of childbirth not separately classed	8	—	8	11		Puerperal mania	1	—	1	1
42	Poisoning (accidental)	8	1	7	12		Laryngismus stridulus	1	1	—	1
	Accidents not separately classed	8	6	2	14		Abscess undefined or ill-defined	1	1	—	1
	Cerebro-spinal fever	8	2	6	21		Chorea	1	—	1	1
							Malarial disease	1	—	1	—
							Pemphigus	1	—	1	—
							Stricture or strangulation of intestine	1	—	1	—
							Melaena	1	—	1	—
							Epistaxis and disease of nose	1	—	1	—
							Scurvy	1	—	1	—

No. 27.—DECENNIAL RETURN showing the Total Deaths in each Class and Order Registered in South Australia (exclusive of the Northern Territory).

	1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL CAUSES	2,184	1,817	2,165	1,756	2,121	1,917	2,192	1,781	2,584	2,091	2,362	2,044	1,994	1,780	2,206	1,768	2,316	1,920	2,171	1,702
I.—SPECIFIC FEBRILE OR ZYMOTIC DISEASES	307	298	262	268	261	293	236	227	389	383	379	398	210	213	238	208	329	314	197	204
II.—PARASITIC DISEASES	7	6	7	9	9	5	11	6	4	3	6	6	6	8	5	3	9	5	9	8
III.—DIETIC DISEASES	19	13	18	11	15	11	25	8	25	17	20	3	12	6	26	7	12	7	8	6
IV.—CONSTITUTIONAL DISEASES	374	326	354	348	353	345	367	298	348	315	348	335	334	328	336	350	355	355	368	374
V.—DEVELOPMENTAL DISEASES	231	197	248	198	228	213	269	185	295	246	249	233	212	201	208	195	272	248	283	188
VI.—LOCAL DISEASES	954	811	946	762	921	851	965	871	1,119	887	1,023	875	938	858	1,081	868	1,063	851	1,040	807
VII.—VIOLENCE	164	62	189	41	190	70	179	74	220	98	200	88	177	63	189	51	166	56	171	45
VIII.—ILL-DEFINED AND NOT SPECIFIED CAUSES	128	104	141	119	144	129	140	112	184	142	137	106	105	103	123	86	110	84	95	70
I.	196	161	138	143	100	95	89	85	204	203	259	264	82	92	113	93	236	216	97	97
1. Miasmatic Diseases	99	108	105	93	134	120	131	112	163	139	99	95	112	100	113	88	76	75	86	80
2. Diarrhoeal Diseases	1	—	—	1	1	—	—	1	2	—	1	—	1	—	1	—	1	1	1	—
3. Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Zoogenous Diseases	4	3	5	—	3	2	3	3	4	2	3	3	7	3	4	4	8	2	3	—
5. Venereal Diseases	7	26	14	31	23	76	13	26	16	39	17	36	8	18	7	23	8	20	10	27
6. Septic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	7	6	7	9	9	5	11	6	4	3	6	6	6	8	5	3	9	5	9	8
Parasitic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	19	13	18	11	15	11	25	8	25	17	20	3	12	6	26	7	12	7	8	6
Dietic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	374	326	354	348	353	345	367	298	348	315	348	335	334	328	336	350	355	355	368	374
Constitutional Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	231	197	248	198	228	213	269	185	295	246	249	233	212	201	208	195	272	248	283	188
Developmental Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VI.	251	175	244	184	223	206	216	203	234	182	233	203	205	181	225	189	222	191	243	151
1. Diseases of Nervous System	5	4	2	3	5	8	2	7	3	—	1	1	1	—	4	2	2	3	1	1
2. Organs of Special Sense	182	159	165	174	166	160	217	189	235	192	216	187	221	212	258	216	265	217	231	206
3. Circulatory System	250	213	242	137	233	182	225	167	269	189	262	207	224	177	248	174	230	158	226	163
4. Respiratory System	168	164	174	167	191	195	200	196	238	191	199	162	177	182	214	174	221	183	205	196
5. Digestive System	1	7	2	8	5	3	2	4	6	10	4	7	4	3	7	5	5	5	1	3
6. Lymphatic System and Ductless Glands	81	36	97	35	84	47	79	51	109	59	91	57	96	43	107	51	97	50	117	45
7. Urinary System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Reproductive System—	1	12	2	17	2	11	1	16	1	16	—	15	1	11	1	9	—	9	—	10
(a) Diseases of Organs of Generation	—	28	—	27	—	30	—	28	—	29	—	22	—	35	—	32	—	24	—	21
(b) Diseases of Parturition	9	7	7	8	8	7	16	7	16	11	6	10	4	13	12	10	12	7	9	6
9. Organs of Locomotion	6	6	11	2	4	2	7	3	8	8	11	4	5	1	5	6	9	4	7	5
10. Integumentary System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VII.	135	53	164	36	160	61	136	62	182	88	175	72	150	55	145	49	132	51	128	39
1. Accident or Negligence	2	1	4	3	6	2	2	2	5	3	—	—	—	1	5	—	2	2	4	2
2. Homicide	26	8	21	2	24	7	40	10	36	5	22	12	26	7	39	2	32	3	39	4
3. Suicide	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
4. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	128	104	141	119	144	129	140	112	184	142	137	106	105	103	123	86	110	84	95	70
Ill-defined and not specified causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.			
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
I.	Miasmatic Diseases.																						
	Smallpox	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
	Measles	15	13	1	1	—	—	—	—	25	29	8	19	1	1	2	3	130	105	1	4		
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	Scarlet Fever	19	16	5	5	2	2	3	4	11	4	6	10	1	4	—	1	—	—	9	10		
	Influenza	32	21	58	57	31	28	19	18	12	21	114	104	22	24	19	17	16	25	10	14		
	Whooping Cough	35	25	20	24	3	14	—	—	57	55	52	54	11	18	24	27	13	23	27	33		
	Mumps	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	Diphtheria	47	50	15	22	11	10	8	14	15	23	20	20	12	20	13	6	16	11	11	10		
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	9	15	6	5	3		
	Simple and ill-defined Fever	2	2	1	—	1	—	—	2	5	2	1	2	—	—	—	—	2	—	—	—		
	Enteric Fever	46	34	37	34	52	41	59	47	77	68	57	54	32	25	42	30	44	45	34	23		
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—		
	Diarrhoeal Diseases.																						
	Simple Cholera	2	4	4	2	5	5	5	5	2	6	2	—	3	4	3	2	—	1	4	2		
	Diarrhoea, Dysentery	97	104	101	91	129	115	126	107	161	133	97	95	109	96	110	86	76	74	82	78		
	Malarial Diseases.																						
	Remittent Fever	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—		
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	—	1	—		
	Zoogenous Diseases.																						
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Venereal Diseases.																						
	Syphilis	3	3	3	—	2	2	1	3	4	2	1	3	4	3	—	4	5	2	1	—		
	Gonorrhœa, Stricture of Urethra ..	1	—	2	—	1	—	2	—	—	—	2	—	3	—	4	—	3	—	2	—		
	Septic Diseases.																						
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	Erysipelas	4	6	8	5	15	14	9	7	9	4	4	5	2	5	2	3	5	3	6	6		
	Pyæmia, Septicæmia	3	6	6	5	8	14	4	8	7	4	13	12	6	3	5	9	3	6	4	3		
	Puerperal Fever	—	14	—	21	—	48	—	11	—	31	—	18	—	10	—	11	—	11	—	18		
	II.	Parasitic Diseases.																					
		Thrush	2	—	1	—	3	1	2	3	—	—	—	3	—	3	—	—	—	1	1	2	
Other Diseases from Vegetable Parasites		—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—			
Hydatid Disease		5	6	6	9	6	4	8	3	4	3	5	3	6	4	5	3	9	4	8	6		
Other Diseases from Animal Parasites ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
III.	Dietic Diseases.																						
	Starvation, Want of Breast Milk ..	14	10	11	9	8	7	15	7	19	13	13	2	7	3	15	1	7	5	6	2		
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Intemperance { Chronic Alcoholism ..	3	3	7	2	6	4	5	1	4	4	7	1	4	3	8	6	4	2	2	3		
{ Delirium Tremens ..	2	—	—	—	1	—	5	—	2	—	—	—	1	—	2	—	1	—	—	—			
IV.	Constitutional Diseases.																						
	Rheumatic Fever, Rheumatism of Heart	8	7	8	7	5	13	8	7	8	12	6	10	8	13	5	7	7	8	13	10		
	Rheumatism	7	4	5	4	3	3	6	4	5	4	1	3	3	2	1	6	2	2	3	2		
	Gout	6	1	5	4	7	—	6	—	3	—	1	—	2	—	1	2	1	—	—	—		
	Cancer, Malignant Disease	83	79	86	80	98	88	107	78	95	89	104	99	103	107	105	111	126	141	133	128		
	Tabes Mesenterica	10	6	9	2	3	6	9	5	4	7	9	8	5	2	1	3	3	2	1	1		
	Tubercular Meningitis (Acute Hydrocephalus)	28	15	20	25	18	21	28	21	20	14	16	17	18	10	16	18	18	12	17	23		
	Phthisis	188	168	166	169	153	155	165	143	179	138	169	143	147	152	155	147	147	145	146	150		
	Other forms of Tuberculosis, Scrofula ..	23	23	31	29	38	27	21	18	15	24	22	28	26	23	21	20	23	24	27	24		
	Anæmia, Chlorosis, Leucocythæmia ..	5	11	8	7	9	11	5	5	4	10	3	11	14	6	9	14	8	6	7	12		
	Diabetes Mellitus	11	8	14	12	18	15	8	13	13	13	14	10	5	11	13	15	12	9	16	15		
	Other Constitutional Diseases	5	4	2	9	1	6	4	4	2	4	3	6	3	2	9	7	8	6	3	9		
	V.	Developmental Diseases.																					
		Premature Birth	71	37	57	41	53	44	57	39	63	43	64	49	58	54	46	34	56	52	72	35	
Atelectasis		8	4	4	4	5	2	5	5	7	4	7	1	4	9	4	1	2	2	5	4		
Cyanosis		3	2	2	3	—	—	1	—	2	2	3	1	2	—	—	2	1	—	—	—		
Spina Bifida		—	3	2	1	2	5	2	—	3	2	1	3	2	—	1	3	2	1	3	1		
Imperforate Anus		—	1	1	1	2	1	2	—	3	1	2	—	3	—	—	1	—	—	—	—		
Cleft Palate, Harelip		—	—	1	1	1	—	—	2	—	2	3	1	2	1	—	2	—	—	2	1		
Other Congenital Defects		11	6	11	14	5	4	5	1	5	3	11	5	3	4	6	6	12	9	6	5		
Old Age		138	144	170	133	160	157	197	138	212	189	158	173	138	133	151	146	199	184	195	142		
VI.		Diseases of Nervous System.																					
	Inflammation of Brain or its Membranes	41	27	36	29	32	30	38	35	40	31	38	37	29	34	35	24	33	33	31	17		
	Apoplexy	48	52	45	40	50	56	41	54	45	42	45	47	50	60	66	57	56	69	66	59		
	Softening of Brain	3	3	7	1	5	4	3	6	2	2	4	6	8	1	3	3	2	1	4	3		

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—continued.

CLASS.	Cause of Death.	1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
<i>Diseases of Nervous System—contd.</i>																					
Hemiplegia, Brain Paralysis	6	8	5	8	7	4	9	7	6	6	11	8	4	6	9	5	10	9	6	8	
Insanity, General Paralysis of Insane	29	15	37	14	31	12	16	21	24	15	20	21	28	18	19	16	22	8	37	10	
Chorea	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	13	10	11	7	3	6	8	5	9	8	10	6	12	7	8	10	12	7	7	10	
Convulsions	63	32	59	45	51	51	59	46	56	50	61	39	30	30	45	41	47	26	40	21	
Laryngismus Stridulus	2	1	—	—	1	1	1	—	2	—	1	1	—	—	—	—	—	—	—	—	
Idiopathic Tetanus	3	2	4	6	1	3	3	—	9	2	5	—	2	1	2	3	5	2	3	1	
Paraplegia, Disease of Spinal Cord	10	4	15	3	4	8	6	6	14	3	12	6	9	6	5	9	12	7	13	8	
Other Diseases of Nervous System..	33	20	25	31	38	29	32	23	27	23	26	32	33	18	33	20	22	28	35	13	
<i>Diseases of Organs of Special Sense.</i>																					
Otitis, Otorrhœa, and Disease of Ear	4	4	2	3	4	8	1	5	2	—	1	—	—	—	3	2	2	3	1	—	
Ophthalmia and Disease of Eye....	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Epistaxis and Disease of Nose	1	—	—	—	—	—	1	—	1	—	—	1	1	—	1	—	—	—	—	1	
<i>Diseases of Circulatory System.</i>																					
Endocarditis, Valvular Disease	25	25	24	17	11	11	22	20	15	25	27	19	12	23	22	15	29	25	28	26	
Pericarditis	2	—	—	1	1	1	4	4	—	—	1	1	2	2	1	1	2	1	3	1	
Hypertrophy of Heart	—	1	—	—	—	—	—	—	1	1	—	—	—	1	3	1	1	1	1	—	
Angina Pectoris	2	1	1	1	2	—	11	2	4	2	3	2	4	6	5	2	6	1	3	1	
Syncope	11	7	8	7	8	12	6	17	13	10	7	10	7	9	10	10	5	5	9	10	
Aneurism	7	2	6	2	9	1	7	—	8	—	7	1	10	1	10	1	9	—	3	2	
Senile Gangrene	2	3	2	1	1	2	—	2	—	2	2	2	1	3	1	1	1	2	1	3	
Embolism, Thrombosis	8	4	8	6	4	10	4	10	3	6	12	7	8	8	8	11	9	10	5	7	
Phlebitis	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	—	—	3	—	—	
Varicose Veins	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Diseases of Circulatory System	125	116	116	138	130	123	163	133	189	148	157	144	176	159	198	174	203	169	178	156	
<i>Diseases of Respiratory System.</i>																					
Laryngitis	1	3	9	1	4	3	2	2	6	1	5	6	4	—	3	5	4	4	2	—	
Croup	10	6	13	3	2	2	7	5	10	4	7	2	5	1	3	—	4	4	2	2	
Other diseases of Larynx and Trachea	1	—	3	1	—	—	1	—	—	—	2	1	—	—	—	1	—	—	—	—	
Emphysema, Asthma	15	7	8	6	12	2	8	7	10	6	16	15	7	3	8	3	9	4	9	5	
Bronchitis	85	80	78	44	74	70	65	53	78	65	86	77	85	72	73	59	56	56	67	69	
Pneumonia	118	98	104	74	117	88	117	79	144	93	120	90	102	89	125	93	136	77	123	75	
Pleurisy	8	7	16	2	13	8	15	8	10	11	12	5	11	5	17	2	6	8	13	7	
Other Diseases of Respiratory System	12	12	11	6	11	9	10	13	11	9	14	11	10	7	19	11	15	5	10	5	
<i>Diseases of Digestive System.</i>																					
Stomatitis	2	—	1	1	1	1	1	—	1	3	2	1	1	2	1	—	2	1	1	2	
Dentition	23	19	25	22	23	29	24	24	37	13	19	15	15	15	18	18	19	13	12	13	
Sore Throat, Quinsy	5	3	4	1	2	4	1	1	4	2	3	3	1	1	2	1	—	1	2	4	
Dyspepsia	2	5	1	1	5	7	3	3	7	3	2	1	2	1	3	1	1	4	3	6	
Hæmatemesis	2	—	—	—	2	3	1	—	—	1	—	—	3	1	3	—	2	3	1	—	
Melæna	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Disease of Stomach.....	13	10	13	16	10	16	17	8	6	12	10	5	11	14	11	11	14	16	14	17	
Enteritis	45	53	60	63	77	54	83	80	108	87	80	75	75	76	107	77	111	75	90	87	
Ulceration of Intestine	1	1	—	1	2	—	2	4	3	—	1	2	—	1	—	1	4	3	3	2	
Ileus, Obstruction of Intestine	8	12	5	11	13	12	13	15	13	13	11	6	7	11	16	8	10	10	8	10	
Stricture or Strangulation of Intestine	—	2	3	1	2	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	
Intussusception of Intestine	3	1	1	2	2	—	—	2	—	—	2	—	5	2	1	2	2	2	4	—	
Hernia	7	3	6	7	5	4	4	5	6	3	7	7	7	6	4	5	4	6	10	4	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	
Peritonitis.....	13	18	20	16	7	31	14	15	17	21	17	16	8	21	9	16	6	19	12	20	
Ascites	1	—	3	2	1	2	—	1	1	1	2	1	—	2	—	1	2	—	1	1	
Gallstones	2	5	—	1	1	3	3	4	—	5	1	2	3	6	4	7	5	6	4	1	
Cirrhosis of Liver	12	8	5	2	12	4	3	8	13	5	12	10	14	7	10	10	16	5	14	7	
Other Diseases of Liver	20	16	18	12	15	21	23	21	17	16	21	10	19	11	14	6	16	17	20	14	
Other Diseases of Digestive System	8	8	9	8	11	4	8	5	4	6	9	7	5	4	7	10	7	4	2	7	
<i>Diseases of Lymphatic System and Ductless Glands.</i>																					
Diseases of Lymphatic System	—	4	1	2	4	—	1	2	3	3	3	2	3	1	5	1	1	—	1	—	
Diseases of Spleen	—	1	—	—	—	1	1	—	—	3	1	—	—	—	1	—	—	—	—	—	
Bronchocele	—	1	—	3	—	2	—	1	1	4	—	3	—	1	1	4	—	—	—	2	
Ac. lison's Disease	1	1	1	3	1	—	—	1	2	—	—	2	1	1	—	—	3	4	—	1	
<i>Diseases of Urinary System.</i>																					
Acute Nephritis	7	5	12	7	9	9	10	18	12	12	13	12	14	8	14	9	9	6	21	7	
Bright's Disease	45	23	51	22	38	24	30	25	48	36	41	33	39	27	42	30	45	31	50	33	
Ūremia	1	4	3	3	5	5	9	2	5	5	3	3	5	5	7	3	10	7	8	1	
Suppression of Urine	2	—	1	—	2	—	—	—	2	—	—	—	2	—	1	—	—	—	2	—	
Calculus	1	1	1	—	4	1	—	1	4	1	6	1	1	—	4	1	5	1	2	—	
Hæmaturia	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
Diseases of Bladder and of Prostate	22	1	22	—	19	2	20	1	25	2	16	—	19	—	31	1	18	2	25	1	
Other Diseases of Urinary System..	2	2	6	3	7	6	10	4	12	3	12	8	16	3	7	7	10	3	9	3	

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

Class.	Cause of Death.	1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
VII.	<i>Diseases of Organs of Generation.</i>																					
	Ovarian Disease	—	4	—	6	—	3	—	5	—	5	—	4	—	4	—	2	—	1	—	3	6
	Diseases of Uterus and Vagina	—	7	—	11	—	4	—	10	—	11	—	9	—	5	—	5	—	5	—	—	—
	Disorders of Menstruation	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	Pelvic Abscess	—	—	1	—	—	3	1	—	—	—	—	2	—	2	1	2	—	1	—	—	—
	Perineal Abscess	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	Diseases of testes, scrotum, &c. ..	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																					
	Abortion, Miscarriage	—	2	—	2	—	4*	—	1	—	2	—	2	—	6	—	5	—	3	—	1	1
	Puerperal Mania	—	1	—	1	—	1	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1
	Puerperal Convulsions	—	6	—	—	—	2	—	6	—	3	—	3	—	1	—	8	—	4	—	4	7
	Placenta Prævia, Flooding	—	6	—	4	—	7	—	7	—	11	—	5	—	12	—	7	—	5	—	—	—
	Phlegmasia Dolens	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Other Accidents of Childbirth	—	12	—	20	—	14	—	14	—	12	—	11	—	15	—	10	—	11	—	—	8
	<i>Diseases of Organs of Locomotion.</i>																					
	Caries, Necrosis	3	4	4	4	2	5	7	2	6	5	1	5	3	3	7	1	8	3	4	3	3
	Arthritis, Ostitis, Periostitis	1	1	2	—	2	2	3	—	3	1	2	2	—	4	2	5	1	2	2	2	2
	Other Diseases of Organs of Locomotion	5	2	1	4	4	—	6	5	7	5	3	3	1	6	3	4	3	2	3	1	—
	<i>Diseases of Integumentary System.</i>																					
	Carbuncle	2	1	1	—	1	—	1	1	1	1	2	—	—	—	2	1	6	—	1	2	2
	Phlegmon, Cellulitis	1	1	4	1	1	—	4	2	3	2	5	1	1	—	—	—	—	2	1	—	—
	Lupus	—	—	1	—	—	1	—	—	1	—	2	—	—	—	—	—	1	1	—	—	—
	Ulcer, Bedsore	1	—	1	—	1	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
	Eczema	2	1	4	1	1	1	2	—	2	3	—	—	2	1	2	—	1	1	1	1	1
	Pemphigus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	Other Diseases of Integumentary System	—	2	—	—	—	—	—	—	1	1	2	3	1	—	1	3	1	—	3	—	—
	<i>Accident or Negligence.</i>																					
	Fracture and Contusion	45	13	71	9	72	16	58	13	68	13	65	12	75	6	71	10	71	5	52	10	—
	Gunshot Wounds	2	—	3	1	4	—	5	—	3	—	2	—	1	2	7	—	2	1	6	—	—
	Cut, Stab	3	1	1	—	1	—	—	—	1	1	1	1	1	1	1	—	—	1	—	—	—
Burn, Scald	12	17	10	10	11	19	11	17	12	27	8	23	8	18	9	15	13	23	7	9	—	
Poison	5	1	5	—	4	2	3	2	3	—	6	2	8	2	12	2	10	2	6	2	—	
Drowning	52	11	39	3	33	7	28	7	43	3	56	8	26	8	28	10	21	6	48	9	—	
Suffocation	6	3	8	5	7	3	2	3	4	—	2	4	11	2	4	3	5	4	1	2	—	
Otherwise	10	7	27	8	28	14	29	20	49	44	35	22	21	16	13	9	10	9	8	7	—	
<i>Homicide.</i>																						
Murder, Manslaughter	2	1	4	3	6	2	2	2	5	3	4	—	1	5	—	2	2	4	2	—	—	
Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Suicide.</i>																						
Gunshot Wounds	8	2	5	1	8	—	9	1	10	—	4	—	7	—	9	—	10	1	18	—	—	
Cut, Stab	4	2	2	—	3	1	10	—	8	1	7	—	5	2	8	—	8	—	2	—	—	
Poison	3	1	1	1	2	2	6	5	4	—	3	4	6	2	6	—	8	1	4	3	—	
Drowning	2	1	1	—	2	3	4	3	1	1	1	6	3	2	6	1	1	—	3	1	—	
Hanging	8	1	11	—	8	1	11	—	12	2	7	1	4	1	8	1	4	1	10	—	—	
Otherwise	1	1	1	—	1	—	—	1	1	1	—	1	1	—	2	—	1	—	2	—	—	
<i>Execution.</i>																						
Hanging	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
<i>Ill-defined and Not Specified Causes.</i>																						
Dropsy	5	2	5	2	5	2	3	3	2	3	2	—	1	4	4	2	2	—	3	1	—	
Debility, Atrophy, Inanition	107	93	116	107	121	117	120	97	174	133	123	98	88	85	112	80	95	80	77	60	—	
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tumor	1	1	—	3	—	—	—	1	—	1	—	—	1	—	1	2	—	1	—	—	—	
Abscess	1	1	2	1	—	2	1	—	2	1	—	—	2	2	—	—	—	1	—	1	—	
Hæmorrhage	1	—	1	—	4	—	3	2	1	—	1	1	2	1	1	1	1	1	1	—	—	
Sudden Death (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Ill-defined and not Specified Causes	13	7	17	5	14	8	13	9	5	4	11	7	11	11	5	1	12	1	13	7	—	

No. 23.—RETURN showing the Total Number of Deaths in South Australia (exclusive of the Northern Territory) from each cause during Ten Years, 1894-1903.

Class.	Causes of Death.							Total.	Males.	Females.
	ALL CAUSES							40,871	22,295	18,576
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES							5,614	2,808	2,806
II.	PARASITIC DISEASES							132	73	59
III.	DIETIC DISEASES							269	180	89
IV.	CONSTITUTIONAL DISEASES							6,911	3,537	3,374
V.	DEVELOPMENTAL DISEASES							4,599	2,495	2,104
VI.	LOCAL DISEASES							18,491	10,050	8,441
VII.	VIOLENCE							2,493	1,845	648
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES							2,362	1,307	1,055
	I.									
	1. Miasmatic Diseases							2,963	1,514	1,449
	2. Diarrhoeal Diseases							2,128	1,118	1,010
	3. Malarial Diseases							12	9	3
	4. Zoogenous Diseases							—	—	—
	5. Venereal Diseases							66	44	22
	6. Septic Diseases.. .. .							445	123	322
	II.									
	Parasitic Diseases							132	73	59
	III.									
	Dietic Diseases							269	180	89
	IV.									
	Constitutional Diseases							6,911	3,537	3,374
	V.									
	Developmental Diseases							4,599	2,495	2,104
	VI.									
	1. Diseases of Nervous System							4,161	2,296	1,865
	2. " Organs of Special Sense							55	26	29
	3. " Circulatory System							4,068	2,156	1,912
	4. " Respiratory System							4,176	2,409	1,767
	5. " Digestive System							3,797	1,987	1,810
	6. " Lymphatic System and Ductless Glands							92	37	55
	7. " Urinary System							1,432	958	474
	8. " Reproductive System—									
	(a) Diseases of Organs of Generation							135	9	126
	(b) Diseases of Parturition							276	—	276
	9. " Organs of Locomotion							185	99	86
	10. " Integumentary System							114	73	41
	VII.									
	1. Accident or Negligence							2,073	1,507	566
	2. Homicide							52	30	22
	3. Suicide							365	305	60
	4. Execution							3	3	—
	VIII.									
	Ill-defined and not Specified Causes							2,362	1,307	1,055
	<i>Miasmatic Diseases.</i>									
I.	Small-pox							2	2	—
	Chicken-pox							2	1	1
	Measles							358	183	175
	Epidemic Rose Rash							2	1	1
	Scarlet Fever							112	56	56
	Influenza							662	333	329
	Whooping Cough							515	242	273
	Mumps							2	1	1
	Diphtheria							354	168	186
	Cerebro-spinal Fever							50	32	18
	Simple and Ill-defined Fever							20	12	8
	Enteric Fever							881	480	401
	Other Miasmatic Diseases							3	3	—
	<i>Diarrhoeal Diseases.</i>									
	Simple Cholera							61	30	31
	Diarrhoea, Dysentery							2,067	1,088	979
	<i>Malarial Diseases.</i>									
	Remittent Fever							5	2	3
	Ague, Intermittent Fever							2	2	—
	Other Malarial Diseases							5	5	—
	<i>Zoogenous Diseases.</i>									
	Glanders							—	—	—

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	To al.	Males.	Females.
<i>Venereal Diseases.</i>				
	Syphilis	46	24	22
	Gonorrhœa, Stricture of Urethra	20	20	—
<i>Septic Diseases.</i>				
	Phagedaena	1	—	1
	Erysipelas	122	64	58
	Pyæmia, Septicæmia	129	59	70
	Puerperal Fever	193	—	193
<i>Parasitic Diseases.</i>				
II.	Thrush	22	9	13
	Other Diseases from Vegetable Parasites	3	2	1
	Hydatid Disease	107	62	45
	Other Diseases from Animal Parasites	—	—	—
<i>Dietic Diseases.</i>				
III.	Starvation, Want of Breast Milk	174	115	59
	Scurvy	2	1	1
	Intemperance { Chronic Alcoholism	79	50	29
	{ Delirium Tremens	14	14	—
<i>Constitutional Diseases.</i>				
IV.	Rheumatic Fever, Rheumatism of Heart	170	76	94
	Rheumatism	70	36	34
	Gout	41	34	7
	Cancer, Malignant Disease	2,040	1,040	1,000
	Tabes Mesenterica	96	54	42
	Tubercular Meningitis (Acute Hydrocephalus)	375	199	176
	Phthisis	3,125	1,615	1,510
	Other forms of Tuberculosis, Scrofula	487	247	240
	Anæmia, Chlorosis, Leucocythæmia	165	72	93
	Diabetes Mellitus	245	124	121
	Other Constitutional Diseases	97	40	57
<i>Developmental Diseases.</i>				
V.	Premature Birth	1,025	597	428
	Atelectasis	87	51	36
	Cyanosis	24	14	10
	Spina Bifida	37	18	19
	Imperforate Anus	18	13	5
	Cleft Palate, Harelip	19	9	10
	Other Congenital Defects	132	75	57
	Old Age	3,257	1,718	1,539
<i>Diseases of Nervous System.</i>				
VI.	Inflammation of Brain or its Membranes	650	353	297
	Apoplexy	1,048	512	536
	Softening of Brain	71	41	30
	Hemiplegia, Brain Paralysis	142	73	69
	Insanity, General Paralysis of Insane	413	203	150
	Chorea	5	—	5
	Epilepsy	169	93	76
	Convulsions	892	511	381
	Laryngismus Stridulus	13	9	4
	Idiopathic Tetanus	57	37	20
	Paraplegia, Disease of Spinal Cord	160	100	60
	Other Diseases of Nervous System	541	304	237
<i>Diseases of Organs of Special Sense.</i>				
	Otitis, Otorrhœa and Disease of Ear	45	20	25
	Ophthalmia and Disease of Eye	3	1	2
	Epistaxis, Disease of Nose	7	5	2
<i>Diseases of Circulatory System.</i>				
	Endocarditis, Valvular Disease	421	215	206
	Pericarditis	28	16	12
	Hypertrophy of Heart	11	6	5
	Angina Pectoris	59	41	18
	Syncope	181	84	97
	Aneurism	86	76	10
	Senile Gangrene	30	13	17
	Embolism, Thrombosis	148	69	79
	Phlebitis	8	1	7
	Varicose Veins	1	—	1
	Other Diseases of Circulatory System	3,095	1,635	1,460

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
<i>Diseases of Respiratory System.</i>				
Laryngitis		65	40	25
Croup		92	63	29
Other Diseases of Larynx and Trachea		10	7	3
Emphysema, Asthma		160	102	58
Bronchitis		1,392	747	645
Pneumonia		2,062	1,206	856
Pleurisy		184	121	63
Other Diseases of Respiratory System		211	123	88
<i>Diseases of Digestive System.</i>				
Stomatitis		24	13	11
Dentition		396	215	181
Sore Throat, Quinsy		45	24	21
Dyspepsia		61	29	32
Hæmatemesis		22	16	6
Melæna		4	3	1
Disease of Stomach		244	119	125
Enteritis		1,563	836	727
Ulceration of Intestines		31	16	15
Ileus, Obstruction of Intestines		212	104	108
Stricture, or Strangulation of Intestines		12	9	3
Intussusception of Intestines		31	20	11
Hernia		110	60	50
Fistula		4	2	2
Peritonitis		316	123	193
Ascites		22	11	11
Gallstones		63	23	40
Cirrhosis of Liver		177	111	66
Other Diseases of Liver		327	183	144
Other Diseases of Digestive System		133	70	63
<i>Diseases of Lymphatic System and Ductless Glands.</i>				
Diseases of Lymphatic System		37	22	15
Diseases of Spleen		9	4	5
Bronchocele		24	2	22
Addison's Disease		22	9	13
<i>Diseases of Urinary System.</i>				
Acute Nephritis		214	121	93
Bright's Disease		713	429	284
Uræmia		94	56	38
Suppression of Urine		12	12	—
Calculus		35	28	7
Hæmaturia		4	4	—
Diseases of Bladder and Prostate		227	217	10
Other Diseases of Urinary System		133	91	42
<i>Diseases of Organs of Generation.</i>				
Ovarian Disease		37	—	37
Diseases of Uterus and Vagina		73	—	73
Disorders of Menstruation		4	—	4
Pelvic Abscess		14	3	11
Perineal Abscess		3	2	1
Diseases of Testes, Scrotum, &c.		4	4	—
<i>Diseases of Parturition.</i>				
Abortion, Miscarriage		28	—	28
Puerperal Mania		9	—	9
Puerperal Convulsions		37	—	37
Placenta Prævia, Flooding		71	—	71
Phlegmasia Dolens		4	—	4
Other Accidents of Childbirth		127	—	127
<i>Diseases of Organs of Locomotion.</i>				
Caries, Necrosis		80	45	35
Arthritis, Ostitis, Periostitis		37	18	19
Other Diseases of Organs of Locomotion		68	36	32
<i>Diseases of Integumentary System.</i>				
Carbuncle		23	17	6
Phlegmon, Cellulitis		31	20	11
Lupus		7	5	2
Ulcer, Bedsore		6	4	2
Eczema		26	17	9
Pemphigus		3	1	2
Other Diseases of Integumentary System		18	9	9

No. 28.—RETURN of the Total Number of Deaths, &c.—continued.

Class.	Cause of Death.							Total.	Males.	Females.
VII	<i>Accident or Negligence.</i>									
	Fracture and Contusion	755	648	107
	Gunshot Wounds	39	35	4
	Cut, Stab	12	7	5
	Burn, Scald	279	101	178
	Poison	77	62	15
	Drowning	446	374	72
	Suffocation	79	50	29
	Otherwise	386	230	156
	<i>Homicide.</i>									
	Murder, Manslaughter	52	30	22
	Justifiable Homicide	—	—	—
	<i>Suicide.</i>									
	Gunshot Wounds	93	88	5
	Cut, Stab	63	57	6
	Poison	62	43	19
	Drowning	42	24	18
	Hanging	91	83	8
	Otherwise	14	10	4
	<i>Execution.</i>									
	Hanging	3	3	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>									
	Dropsy	51	32	19
	Debility, Atrophy, Inanition	2,083	1,133	950
	Mortification	3	1	2
	Tumor	12	3	9
	Abscess	17	8	9
	Hæmorrhage	22	16	6
	Sudden Death (cause unascertained)	—	—	—
	Other Ill-defined and not Specified Causes	174	114	60

No. 29.—RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) from each Cause during the Ten Years, 1894-1903, arranged in the Order of Fatality.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.	Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Old age	3,257	1,718	1,539	73	Gallstones	63	23	40
2	Phthisis	3,125	1,615	1,510	74	Cut, stab (suicidal)	63	57	6
3	Diseases of circulatory system not separately classed	3,095	1,635	1,460	75	Poisoning (suicidal)	62	43	19
4	Debility, atrophy, inanition	2,083	1,133	950	76	Simple cholera	61	30	31
5	Diarrhoea, dysentery	2,067	1,088	979	77	Dyspepsia	61	29	32
6	Pneumonia	2,062	1,206	856	78	Angina pectoris	59	41	18
7	Cancer, malignant disease	2,040	1,040	1,000	79	Idiopathic tetanus	57	37	20
8	Enteritis	1,503	836	727	80	Murder, manslaughter	52	30	22
9	Bronchitis	1,392	747	645	81	Dropsy undefined or ill-defined	51	32	19
10	Apoplexy	1,048	512	536	82	Cerebro-spinal fever	50	32	18
11	Premature birth	1,025	597	428	83	Syphilis	46	24	22
12	Convulsions (except puerperal)	892	511	381	84	Otitis, otorrhoea, and disease of ear	45	20	25
13	Enteric fever	881	480	401	85	Sore throat, quinsy	45	24	21
14	Fracture and contusion (accidental)	755	648	107	86	Drowning (suicidal)	42	24	18
15	Bright's disease	713	429	284	87	Gout	41	34	7
16	Influenza	662	333	329	88	Gunshot wounds (accidental)	39	35	4
17	Inflammation of brain or its membranes	650	353	297	89	Arthritis, osteitis, periostitis	37	18	19
18	Diseases of nervous system not separately classed	541	304	237	90	Ovarian disease	37	—	37
19	Whooping cough	515	242	273	91	Diseases of lymphatic system	37	22	15
20	Forms of tuberculosis not separately classed	487	247	240	92	Spina bifida	37	18	19
21	Drowning (accidental)	446	374	72	93	Puerperal convulsions	37	—	37
22	Endocarditis, valvular disease of the heart	421	215	206	94	Urinary calculus	35	28	7
23	Insanity, general paralysis of insane	413	263	150	95	Ulceration of intestine	31	16	15
24	Intention	390	215	181	96	Intussusception of intestine	31	20	11
25	Accidents not separately classed	386	230	156	97	Phlegmon, cellulitis	31	20	11
26	Tubercular meningitis (acute hydrocephalus)	375	199	176	98	Senile gangrene	30	13	17
27	Measles	358	183	175	99	Abortion, miscarriage	28	—	28
28	Diphtheria	354	168	186	100	Pericarditis	28	16	12
29	Diseases of liver (except cirrhosis and gallstones)	327	183	144	101	Eczema	26	17	9
30	Peritonitis (except puerperal and tubercular)	316	123	193	102	Cyanosis	24	14	10
31	Burn, scald (accidental)	279	101	178	103	Stomatitis	24	13	11
32	Diabetes mellitus	245	124	121	104	Bronchocele	24	12	22
33	Disease of stomach	244	119	125	105	Carbuncle	23	17	6
34	Diseases of bladder and prostate	227	217	10	106	Thrush	22	9	13
35	Acute nephritis	214	121	93	107	Ascites	22	11	11
36	Ileus, obstruction of intestine	212	104	108	108	Addison's disease	22	9	13
37	Diseases of respiratory system not separately classed	211	123	88	109	Hæmorrhage undefined or ill-defined	22	16	6
38	Puerperal fever	193	—	193	110	Hæmatemesis	22	16	6
39	Pleurisy	184	121	63	111	Simple and ill-defined fever	20	12	8
40	Syncope	181	84	97	112	Gonorrhoea, stricture of urethra	20	20	—
41	Cirrhosis of liver	177	111	66	113	Cleft palate, harelip	19	9	10
42	Starvation, want of breast milk	174	115	59	114	Imperforate anus	18	13	5
43	Ill-defined and unspecified causes not separately classed	174	114	60	115	Diseases of integumentary system not separately classed	18	9	9
44	Rheumatic fever, rheumatism of heart	170	76	94	116	Abscess undefined or ill-defined	17	8	9
45	Epilepsy	169	93	76	117	Delirium tremens	14	14	—
46	Anæmia, chlorosis, leucocythæmia	165	72	93	118	Suicides not separately classed	14	10	4
47	Emphysema, asthma	160	102	58	119	Pelvic abscess	14	3	11
48	Paraplegia, disease of spinal cord	160	100	60	120	Laryngismus stridulus	13	9	4
49	Embolism, thrombosis	148	69	79	121	Tumor undefined or ill-defined	12	3	9
50	Hemiplegia, brain paralysis	142	73	69	122	Cut, stab (accidental)	12	7	5
51	Diseases of digestive system not separately classed	133	70	63	123	Stricture or strangulation of intestine	12	9	3
52	Diseases of urinary system not separately classed	133	91	42	124	Suppression of urine	12	12	—
53	Congenital defects not separately classed	132	75	57	125	Hyper trophy of heart	11	6	5
54	Pyæmia, septicæmia	129	59	70	126	Diseases of larynx and trachea (except croup and laryngitis)	10	7	3
55	Accidents of childbirth not separately classed	127	—	127	127	Puerperal mania	9	—	9
56	Erysipelas	122	64	58	128	Diseases of spleen	9	4	5
57	Scarlet fever	112	56	56	129	Phlebitis	8	1	7
58	Hernia	110	60	50	130	Lupus	7	5	2
59	Hydatid disease	107	62	45	131	Epistaxis and disease of nose	7	5	2
60	Constitutional diseases not separately classed	97	40	57	132	Ulcer, bed sore	6	4	2
61	Tabes mesenterica	96	54	42	133	Chorea	5	—	5
62	Uræmia	94	56	38	134	Remittent fever	5	2	3
63	Gunshot wounds (suicidal)	93	88	5	135	Malarial disease not separately classed	5	5	—
64	Croup (except membranous and diphtheritic)	92	63	29	136	Phlegmasia dolens	4	—	4
65	Hanging (suicidal)	91	83	8	137	Diseases of testes, scrotum, &c.	4	4	—
66	Atelectasis	87	51	36	138	Hæmaturia	4	4	—
67	Aneurism	86	76	10	139	Fistula	4	2	2
68	Caries, necrosis	80	45	35	140	Disorders of menstruation	4	—	4
69	Suffocation (accidental)	79	50	29	141	Melæna	4	3	1
70	Chronic alcoholism	79	50	29	142	Ophthalmia and disease of eye	3	1	2
71	Poisoning (accidental)	77	62	15	143	Diseases from vegetable parasites not separately classed	3	2	1
72	Diseases of uterus and vagina	73	—	73	144	Hanging (execution)	3	3	—
	Softening of brain	71	41	30	145	Miasmatic diseases not separately classed	3	3	—
	Placenta prævia, flooding	71	—	71	146	Perineal abscess	3	2	1
	Rheumatism (except of heart and rheumatic fever)	70	36	34	147	Pemphigus	3	1	2
	Diseases of organs of locomotion not separately classed	68	36	32	148	Mortification undefined or ill-defined	3	1	2
	Laryngitis	65	40	25	149	Epidemic rose rash	2	1	1
					150	Chicken-pox	2	1	1
					151	Mumps	2	1	1
					152	Ague, intermittent fever	2	2	—
					153	Smallpox	2	2	—
					154	Scurvy	2	1	1
					155	Phagedæna	1	—	1
					156	Varicose veins	1	—	1

No. 32.—DECENNIAL RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory).

Year.	Totals.	Males.	Females.
1894	34	26	8
1895	23	21	2
1896	31	24	7
1897	50	40	10
1898	41	36	5
1899	34	22	12
1900	33	26	7
1901	41	39	2
1902	35	32	3
1903	43	39	4

VACCINATIONS.

No. 33.—RETURN showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1903; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

Number of Public Vaccinators.	Number of successful Vaccinations during the year.	Number of Births Registered during the year.	Proportion of Vaccinations to 100 Children Registered during the year.	Amount Paid by Government for the year's Vaccinations.
188	1,857	8,475	21·91	£ s. d. 328 1 6

No. 34.—DECENNIAL RETURN showing the Number of successful Vaccinations, and the Proportion to Births registered in South Australia (exclusive of the Northern Territory).

Year.	No. of Births Registered.	No. of successful Vaccinations.	No. of Vaccinations to 100 Births Registered.
1894	10,476	9,029	86·19
1895	10,537	7,636	72·47
1896	10,012	6,430	64·22
1897	9,535	6,331	66·40
1898	8,945	5,605	62·66
1899	9,397	4,854	51·65
1900	9,143	5,588	61·12
1901	9,079	4,350	47·91
1902	8,927	1,906	21·35
1903	8,475	1,857	21·91

No. 35.—DECENNIAL RETURN showing the Number of Deaths in Public Institutions in South Australia (exclusive of the Northern Territory).

Name of Institution.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
HOSPITALS—										
Adelaide Hospital	209	260	222	225	246	257	243	282	264	291
Mount Gambier Hospital	18	15	17	18	15	14	17	12	16	8
Port Adelaide Casualty Hospital	6	2	1	—	1	2	3	—	4	3
Port Augusta Hospital	29	14	21	26	19	24	20	27	23	24
Port Lincoln Hospital	2	3	3	2	5	5	2	1	4	1
Walleroo Hospital	11	21	18	14	13	16	7	19	15	9
Clare Casualty Hospital	—	—	—	1	3	1	1	1	2	—
† Waukaringa Hospital (formerly at Teetulpa)	2	—	—	—	—	—	—	—	—	—
Port Pirie Hospital	14	9	7	14	20	21	17	31	31	21
Tarcoola Hospital	—	—	—	—	—	—	—	6	—	2
LUNATIC ASYLUMS—										
† Adelaide	17	23	21	16	19	14	9	12	3	—
Parkside	41	50	49	49	61	77	85	70	102	126
DESTITUTE—										
*Destitute Asylum	46	53	59	77	84	70	54	79	86	84
*Lying-in Department	5	8	6	6	4	4	1	4	1	6
State Children's Department {	—	—	2	2	4	—	—	2	4	3
	7	7	4	7	12	8	6	5	9	11
GAOLS AND PENAL ESTABLISHMENTS—										
Adelaide Gaol	1‡	1‡	1	1‡	1	—	1‡	—	—	—
Gladstone Gaol	—	—	—	—	2	1	—	—	1	—
Mount Gambier Gaol	—	—	—	—	—	—	—	—	—	—
Port Augusta Gaol	—	—	—	—	—	—	—	—	—	—
Port Lincoln Gaol	—	—	—	—	—	—	—	—	—	—
Redruth Gaol	—	—	—	—	—	—	—	—	—	—
Walleroo Gaol	—	—	—	—	—	—	—	—	—	—
Yatala Labor Prison	—	—	—	—	—	—	1	—	—	—

* Including children. † Closed since September 4th, 1894. ‡ Closed since May 29th, 1902. § Executed
G. H. AYLIFFE, Registrar-General of Births, &c.